




*L&T Switchgear**
Business

IS NOW



Electrical & Automation



Retail Products Price List
Maximum Retail Price Effective from 01-05-2024

*Under license from Larsen & Toubro Limited. | #Trademark of Schneider Electric De mark A/S.

FROM THE COO'S DESK.



Dear Stakeholder,

We are pleased to announce the launch of our new brand “Lauritz Knudsen Electrical & Automation” on 29th May 2024 which will replace the existing brand, L&T Switchgear.

We sincerely thank you for your patronage & support over the last seven decades. We eagerly anticipate continuing this journey under the new name.

During this transition, the specific product names shall remain unchanged, such as ACBs - OMEGA & C-POWER, MCCB-DSine, Final Distribution Products (MCBs, RCCB, RCBO) – AU / Exora, Contactors -MNX/MO/MCX, Industrial Automation, Wiring Accessories, Metering products etc. Our products now feature a refreshed look that reflects our brand image and brings more consistency across our product line. However, please note that this change will not affect the ordering CAT numbers, technical parameters, and dimensions of our product range. Once the old brand material is exhausted, we will exclusively supply products under our new brand identity.

We assure you that this brand transition will be seamless, ensuring continuous availability of the products, including spares and after-sales support throughout the product's life cycle, whether under the L&T Switchgear or Lauritz Knudsen brand. Product warranties, as per our standard terms, will be honoured for products in both brands.

We kindly request you to update our new brand, Lauritz Knudsen Electrical & Automation, in your list of approved makes.

Thank you for your continued support and cooperation.

A handwritten signature in blue ink that reads 'Naresh Kumar'.

Best regards,

Naresh Kumar,

COO & Sr, VP, Electrical Standard Products

Lauritz Knudsen Electrical & Automation


Contents

Pg No
04-19



Tripper

Pg No
20-31




englaze

Pg No
32-43



entice

Pg No
44-49



enGem


Pg No
51-54



ORIS

Tripaper®
FINAL DISTRIBUTION PRODUCTS






World Class Safety Standards

Tripper products conform to relevant global standards viz., IEC, EN and IS. They also have CE/ISI marking and DEKRA certification.



Safety Redefined

Finger proof terminals eliminate chances of accidental contact with live parts. You can install, operate and maintain tripper with total confidence.



Energy Limiting Class - 3

If fault occurs, the rapid arc quenching mechanism operates and extinguishes the arc quickly, ensuring lowest possible energy flow through the circuit. This minimizes risk of fire and maximizes life of your equipment.




Safety Meets Superior Aesthetics

Ergonomically designed, profiled for superior cooling and manufactured with fire retardant material. Tripper offers user safety combined with elegance.



True Contact Indication

Tripper range enhances safety through true contact indication even from a distance regardless of it's knob position. Red and Green indication flag positively identifies the electrical ON/OFF status.



Innovatively Profiled Breathing Channels

When two or more poles are placed adjacent to each other, the breathing channels are so profiled that the air circulates around individual pole, resulting in cooler operation, year after year.




Large Terminal Size & Biconnect

Tripper can easily accommodate cables of up to 35 sq.mm. Biconnect terminals offer convenience of connecting both cable and bus bar.




Two Position DIN Rail Clip

Installation on a DIN rail is further simplified with a two position DIN rail clip as a standard feature. Tripper range makes mounting on a standard DIN rail more convenient.



Non-Welding Contacts

Silver Graphite contact tips ensure higher life and maximum safety against contact welding due to it's superior anti-welding properties, enhancing safety and life of the system.



Combihead Screw

Tripper range of products provided with combihead screws allow you to use standard as well as Phillips screwdrivers, offering flexibility.



HIGHLIGHTS

- marked, marked
- Conforms to IS/IEC 60898 - 6 kA
- Higher life with use of heavy duty contacts
- Innovatively designed breathing channels between poles ensure cooler operation
- Energy saving - watt loss approximately 50% lower than those prescribed by IEC standard
- Manufactured with high quality fire retardant material
- True contact indication for enhanced safety



Single Pole

MINIATURE CIRCUIT BREAKERS (MCBs) - B CURVE

Description	Single Pole	
	Cat No	MRP/Unit in ₹
6A B Curve	BA10060B	201
10A B Curve	BA10100B	201
16A B Curve	BA10160B	201
20A B Curve	BA10200B	201
25A B Curve	BA10250B	201
32A B Curve	BA10320B	201
40A B Curve	BA10400B	475



Single Pole

Double Pole

Three Pole

Four Pole

MINIATURE CIRCUIT BREAKERS (MCBs) - C CURVE

Description	Single Pole		Double Pole		Three Pole		Four Pole	
	Cat No	MRP/Unit in ₹	Cat No	MRP/Unit in ₹	Cat No	MRP/Unit in ₹	Cat No	MRP/Unit in ₹
6A C Curve	BA10060C	201	BA20060C	735	BA30060C	1225	BA40060C	1620
10A C Curve	BA10100C	201	BA20100C	735	BA30100C	1225	BA40100C	1620
16A C Curve	BA10160C	201	BA20160C	735	BA30160C	1225	BA40160C	1620
20A C Curve	BA10200C	201	BA20200C	735	BA30200C	1225	BA40200C	1620
25A C Curve	BA10250C	201	BA20250C	735	BA30250C	1225	BA40250C	1620
32A C Curve	BA10320C	201	BA20320C	735	BA30320C	1225	BA40320C	1620
40A C Curve	BA10400C	475	BA20400C	1085	BA30400C	1760	BA40400C	2155
63A C Curve	BA10630C	530	BA20630C	1205	BA30630C	1890	BA40630C	2310

Note: Standard Pack Quantity for MCB: SP - 12 Nos., DP - 6 Nos., TP - 4 Nos., FP - 3 Nos.



HIGHLIGHTS

- marked, marked
- Conforms to IS 12640 - 1, IEC 61008-1
- Available in DP & FP versions from 25A to 63A ratings with 30mA, 100mA & 300mA sensitivity
- Operates on Core Balance Current Transformer (CBCT) principle
- Finger proof IP20 terminals



RESIDUAL CURRENT CIRCUIT BREAKERS/EARTH LEAKAGE CIRCUIT BREAKERS (RCCBs/ELCBs)



Double Pole



Four Pole

Description	Double Pole		Four Pole	
	Cat No	MRP/Unit in ₹	Cat No	MRP/Unit in ₹
25A 30mA	BC202503	2700	BC402503	3540
25A 100mA	BC202510	2795	BC402510	3605
25A 300mA	BC202530	2795	BC402530	3605
40A 30mA	BC204003	2980	BC404003	3595
40A 100mA	BC204010	3015	BC404010	3670
40A 300mA	BC204030	3015	BC404030	3670
63A 30mA	BC206303	3810	BC406303	4000
63A 100mA	BC206310	3855	BC406310	4060
63A 300mA	BC206330	3855	BC406330	4060

HIGHLIGHTS

- marked
- Conforms to IEC 60947 - 3
- Higher life with use of heavy duty contacts
- Innovatively designed breathing channels between poles ensure cooler operation
- Manufactured with high quality fire retardant material
- True contact indication for enhanced safety



Double Pole



Three Pole



Four Pole



ISOLATORS

Description	Double Pole		Three Pole		Four Pole	
	Cat No	MRP/Unit in ₹	Cat No	MRP/Unit in ₹	Cat No	MRP/Unit in ₹
40A Isolator	BE204000	465	BE304000	810	BE404000	1045
63A Isolator	BE206300	580	BE306300	925	BE406300	1080
100A Isolator	BE210000	790	BE310000	1095	BE410000	1310

Note: Standard Pack Quantity for Isolator : DP - 6 Nos., TP - 4 Nos., FP - 3 Nos.

HIGHLIGHTS

- CE marked
- Conforms to IEC 60947-6, IEC 60947-3
- Wide Range of Current Ratings
 - Generator Side - 1.5A to 30A
 - Electricity Board Side - 30A
- No. of Poles 1P+N, for single phase applications
- Protection Degree - IP20
- Reliable microcontroller based design for sensing & control
- Lower power consumption
- RoHS compliant



ACCL



AUTOMATIC CHANGEOVER WITH CURRENT LIMITER(ACCL)

Description EB/DG	Modules	Cat No	MRP/Unit in ₹
30A/1.5A	4	BCL010301E5	2085
30A/2.5A	4	BCL010302E5	2085
30A/3A	4	BCL01030003	2085
30A/4A	4	BCL01030004	2085
30A/5A	4	BCL01030005	2085
30A/6A	4	BCL01030006	2085
30A/8A	4	BCL01030008	2085
30A/10A	4	BCL01030010	2085
30A/12A	4	BCL01030012	2085
30A/15A	4	BCL01030015	2085
30A/20A	4	BCL01030020	2085
30A/30A#	4	BCL01030030	2085

#Non current limiting variant

HIGHLIGHTS

- Conforms to IEC 60947-3
- Available with 3 positions (I-O-II) with centre off position
- Utilization category AC-22A



Double Pole

Four Pole

MODULAR CHANGEOVER SWITCHES

Double Pole				Four Pole			
Description	Modules	Cat No	MRP/Unit in ₹	Description	Modules	Cat No	MRP/Unit in ₹
25A	2	AUC00202500	1630	40A	4	AUC00404000	4290
40A	2	AUC00204000	2490	63A	6	AUC00406300	4865
63A	3	AUC00206300	2900				



HIGHLIGHTS

- marked, marked
- Conforms to IS 12640-2, IEC 61009-1
- Combination of ELCB & MCB (EL+MCB) offers 3 in 1 protection against - overload, short circuit and earth leakage
- Easy fault identification -
 1. Over current fault : MCB side knob trips
 2. Leakage current fault : Both MCB and ELCB side knobs trip



Double Pole



Four Pole

EARTH LEAKAGE + MINIATURE CIRCUIT BREAKER - EL+MCB (RCBO)

Description	Double Pole				
	Cat No (30 mA)	MRP/Unit in ₹	Cat No (100 mA)	Cat No (300 mA)	MRP/Unit in ₹
6A 2P EL+MCB	CB9000100TO	3935	CB9000300TO	CB9000500TO	4080
10A 2P EL+MCB	CB9000100VO	3935	CB9000300VO	CB9000500VO	4080
16A 2P EL+MCB	CB9000100BO	3935	CB9000300BO	CB9000500BO	4080
20A 2P EL+MCB	CB9000100CO	3935	CB9000300CO	CB9000500CO	4080
25A 2P EL+MCB	CB9000100DO	3935	CB9000300DO	CB9000500DO	4080
32A 2P EL+MCB	CB9000100EO	4420	CB9000300EO	CB9000500EO	4335
40A 2P EL+MCB	CB9000100FO	4420	CB9000300FO	CB9000500FO	4335
63A 2P EL+MCB	CB9000100HO	5425	CB9000300HO	CB9000500HO	5175

EARTH LEAKAGE + MINIATURE CIRCUIT BREAKER - EL+MCB (RCBO)

Description	Four Pole				
	Cat No (30 mA)	MRP/Unit in ₹	Cat No (100 mA)	Cat No (300 mA)	MRP/Unit in ₹
6A 4P EL+MCB	CB9000200TO	4670	CB9000400TO	CB9000600TO	4565
10A 4P EL+MCB	CB9000200VO	4670	CB9000400VO	CB9000600VO	4565
16A 4P EL+MCB	CB9000200BO	4670	CB9000400BO	CB9000600BO	4565
20A 4P EL+MCB	CB9000200CO	4670	CB9000400CO	CB9000600CO	4565
25A 4P EL+MCB	CB9000200DO	4670	CB9000400DO	CB9000600DO	4565
32A 4P EL+MCB	CB9000200EO	5040	CB9000400EO	CB9000600EO	4805
40A 4P EL+MCB	CB9000200FO	5040	CB9000400FO	CB9000600FO	4805
63A 4P EL+MCB	CB9000200HO	5970	CB9000400HO	CB9000600HO	5575

Note: Standard Pack Quantity for EL+MCB: DP - 8 Nos., FP - 6 Nos.





VALUE + STYLE

The Tripbox PLUS range of Distribution Boards offer the perfect blend of aesthetics and value. Crafted for modern homes, its features ensure ease of installation, enhanced safety and protection with a dash of style.



SAFETY WITH STYLE

Options for flush and surface mounting

Powder - coated, matte finish - RAL9003

Insulated Busbar



As per IS 8623 Standards

Shrouded neutral bars to avoid accidental contact with live parts




EASE OF INSTALLATION

Reversible door for double door Distribution Boards to adapt to site conditions



More space for ease of wiring



PROTECTION FROM DAMAGE

CRCA sheet steel for extra durability

Plastic corners for corner protection




Cement spill protector - To protect DB interior from cement splashes during civil work



SPN DISTRIBUTION BOARDS

- As per IS 8623
- Available in 4, 6, 8, 12 & 16 way
- Ready to use DBs, complete with colour - coded wire set, 100A insulated bus bar, Neutral bar/s with shroud/s, Earth bar/s, Cement Spill Protector, Cable ties, Blanking plates and Circuit identification label
- Choice of metal and glazed door
- With provision for DP MCB/Isolator/RCCB/RCBO as incomer and SP MCBs as outgoing



SPN DISTRIBUTION BOARDS

Description	Modules		Double Door	MRP/Unit in ₹	Double Door - Glazed	MRP/Unit in ₹
	Incomer	Outgoing				
4-Way	2	2	PH104DDB	1600	PH104DDG	2090
6-Way	2	4	PH106DDB	1855	PH106DDG	2240
8-Way	2	6	PH108DDB	1975	PH108DDG	2440
12-Way	2	10	PH112DDB	2375	PH112DDG	2955
16-Way	2	14	PH116DDB	2975	PH116DDG	3655

TPN DISTRIBUTION BOARDS

- As per IS 8623
- Available in 4, 6, 8 & 12 way
- Ready to use DBs, complete with colour - coded wire set, 100A insulated bus bars, Neutral bar/s with shroud/s, Earth bar/s, Cement Spill Protector, Cable ties, Blanking plates and Circuit identification label
- Choice of metal and glazed door
- With provision for FP MCB/Isolator/RCCB/RCBO as incomer and SP MCBs as outgoing



TPN DISTRIBUTION BOARDS

Description	Modules		Double Door	MRP/Unit in ₹	Double Door - Glazed	MRP/Unit in ₹
	Incomer	Outgoing				
4-Way	8	4+4+4	PH304DDB	3925	PH304DDG	5130
6-Way	8	6+6+6	PH306DDB	4895	PH306DDG	6355
8-Way	8	8+8+8	PH308DDB	5850	PH308DDG	7605
12-Way	8	12+12+12	PH312DDB	8715	PH312DDG	11645

HORIZONTAL PPI (PER PHASE ISOLATION) DBs

- As per IS 8623
- Available in 4, 6, 8 & 12 way
- Ready to use DBs, complete with colour - coded wire set, 100A insulated bus bars, Neutral bar/s with shroud/s, Earth bar/s, Cement Spill Protector, Cable ties, Blanking plates and Circuit identification label
- With provision for FP MCB/Isolator/RCCB/RCBO as incomer, DP RCCB/RCBO as sub-incomer and SP MCBs as outgoing



HORIZONTAL PPI (PER PHASE ISOLATION) DBs

Description	Modules			Double Door	MRP/Unit in ₹
	Incomer	Sub-Incomer	Outgoing		
4-Way	8	2+2+2	4+4+4	PHP304DDB	6495
6-Way	8	2+2+2	6+6+6	PHP306DDB	7775
8-Way	8	2+2+2	8+8+8	PHP308DDB	9275
12-Way	8	2+2+2	12+12+12	PHP312DDB	12645

*These DBs are available till stock last.

PHASE SEGREGATED DBs

- As per IS 8623
- Available in 4, 6, 8 & 12 way
- Ready to use DBs, complete with colour - coded wire set, 100A insulated bus bars, Neutral bar/s with shroud/s, Earth bar/s, Cement Spill Protector, Cable ties, Blanking plates and Circuit identification label
- With provision for FP MCB/Isolator as incomer, DP RCCB/RCBO as sub-incomer and SP MCBs as outgoing



Double Door

PHASE SELECTOR DBs

- As per IS 8623
- Available in 4, 6, 8 & 12 way
- Provided with 63A Selector Switches
- Ready to use DBs, complete with colour - coded wire set, 100A insulated bus bars, Neutral bar/s with shroud/s, Earth bar/s, Cable ties, Blanking plates and Circuit identification label
- With provision for FP MCB/Isolator/RCCB/RCBO as incomer and SP MCBs as outgoing



Double Door

VTPN DBs WITH MODULAR INCOMER

- As per IS 8623
- Available in 4, 6, 8 & 12 way
- Ready to use DBs, complete with colour - coded wire set, Insulated vertical phase bus bars, Neutral bar/s with shroud/s, Earth bar/s, Cement Spill Protector, Cable ties, Blanking plates and Circuit identification label
- With provision for FP MCB/Isolator/RCCB/RCBO as incomer and SP/TP MCBs as outgoing



Double Door

VTPN DBs WITH MCCB INCOMER

- As per IS 8623
- Available in 4, 6, 8 & 12 way
- Ready to use DBs, complete with colour - coded wire set, Insulated vertical phase bus bars, Neutral bar/s with shroud/s, Earth bar/s, Cement Spill Protector, Cable ties, Blanking plates and Circuit identification label
- With provision for MCCB as incomer and SP/TP MCBs as outgoing
- Suitable for 3P/4P MCCB as incomer upto 125A - DY125U



Double Door

PHASE SEGREGATED DBs

Description	Modules			Double Door	MRP/Unit in ₹
	Incomer	Sub-Incomer	Outgoing		
4-Way	8	4+4+4	4+4+4	PHS304DDB	10325
6-Way	8	4+4+4	6+6+6	PHS306DDB	11655
8-Way	8	4+4+4	8+8+8	PHS308DDB	13015
12-Way	8	4+4+4	12+12+12	PHS312DDB	16425

PHASE SELECTOR DBs

Description	Modules		Double Door	MRP/Unit in ₹
	Incomer	Outgoing		
4-Way	8	4+4+4	PHC04DDB	13795
6-Way	8	6+6+6	PHC06DDB	14125
8-Way	8	8+8+8	PHC08DDB	14980
12-Way	8	12+12+12	PHC12DDB	16805

VTPN DBs WITH MODULAR INCOMER

Description	Modules		Double Door	MRP/Unit in ₹
	Incomer	Outgoing		
4-Way	8	4+4+4	PHV304DDB	9495
6-Way	8	6+6+6	PHV306DDB	10910
8-Way	8	8+8+8	PHV308DDB	12660
12-Way	8	12+12+12	PHV312DDB	16750

VTPN DBs WITH MCCB INCOMER

Description	Modules		Double Door	MRP/Unit in ₹
	Incomer	Outgoing		
4-Way	MCCB	4+4+4	PHV304DYM	11330
6-Way	MCCB	6+6+6	PHV306DYM	13255
8-Way	MCCB	8+8+8	PHV308DYM	14400
12-Way	MCCB	12+12+12	PHV312DYM	18620

*These DBs are available till stock last.

ENCLOSURES

- As per IS 8623
- Available in 2, 3, 4 & 6 way
- With provision to mount MCB/Isolator/RCCB/RCBO or other modular devices



Single Door

ENCLOSURES

Description	Modules	Single Door	MRP/Unit in ₹
2-Way	2	PHE02DB	470
3-Way	3	PHE03DB	525
4-Way	4	PHE04DB	525
6-Way	6	PHE06DB	790

PLUG & SOCKET DBs

- As per IS 8623
- SPN 10A & 20A; TPN - 32A
- With provision to mount MCBs/RCCBs



Single Door

PLUG & SOCKET DBs

Description	No. of Pins	Modules	Single Door	MRP/Unit in ₹
10A, 2 Pin+SC [^]	P+N	1	PMP110DB	1195
20A, 2 Pin+SC [^]	P+N	1	PMP120DB	1270
20A, 2 Pin+SC [^]	P+N	2	PMP220DB	1390
32A, 3 Pin+SC [^]	3P	3	PMP332DB	3290

SC[^] - Scrapping Earth

*These DBs are available till stock last.

For Modern Homes: Safety and Style Combined

Hidden hinges give a superior look.



Spacious DB size enables a higher standard of safety and ease of wiring.

Copper shorting links and wires (16 sq mm) for internal wiring.

Curved door ensures a stylish touch.

Detachable gland plate for easy wire insertion.



Hardware coated with aluminum zinc flake for a rust-free life.

Over-the-frame design provides higher protection.

Uniform gasketing ensures ingress protection.

Effective earthing ensures complete safety.



Enhance your wall with Tripbox NXT range of Distribution Boards which combines minimalistic aesthetics, enhances ambience & understated presence to harmonize perfectly with your décor.

SPN DISTRIBUTION BOARDS

- As per IS 8623
- Available in 4, 6, 8, 12 & 16 way
- Ready to use DBs, complete with colour - coded wire set, 100A insulated bus bar, Neutral bar/s with shroud/s, Earth bar/s, Cement Spill Protector, Cable ties, Blanking plates and Circuit identification label
- Choice of metal and glazed door
- With provision for DP MCB/Isolator/RCCB/RCBO as incomer and SP MCBs as outgoing

TPN DISTRIBUTION BOARDS

- As per IS 8623
- Available in 4, 6, 8 & 12 way
- Ready to use DBs, complete with colour - coded wire set, 100A insulated bus bars, Neutral bar/s with shroud/s, Earth bar/s, Cement Spill Protector, Cable ties, Blanking plates and Circuit identification label
- Choice of metal and glazed door
- With provision for FP MCB/Isolator/RCCB/RCBO as incomer and SP MCBs as outgoing

HORIZONTAL PPI (PER PHASE ISOLATION) DBs

- As per IS 8623
- Available in 4, 6, 8 & 12 way
- Ready to use DBs, complete with colour - coded wire set, 100A insulated bus bars, Neutral bar/s with shroud/s, Earth bar/s, Cement Spill Protector, Cable ties, Blanking plates and Circuit identification label
- With provision for FP MCB/Isolator/RCCB/RCBO as incomer, DP RCCB/RCBO as sub-incomer and SP MCBs as outgoing

SPN DISTRIBUTION BOARDS

NEW

Description	Modules		Double Door	MRP/Unit in ₹	Double Door - Glazed	MRP/Unit in ₹
	Incomer	Outgoing				
4-Way	2	2	DTSPN004DD	1600	DTSPN004GD	2090
6-Way	2	4	DTSPN006DD	1855	DTSPN006GD	2240
8-Way	2	6	DTSPN008DD	1975	DTSPN008GD	2440
12-Way	2	10	DTSPN012DD	2375	DTSPN012GD	2955
16-Way	2	14	DTSPN016DD	2975	DTSPN016GD	3655

TPN DISTRIBUTION BOARDS

NEW

Description	Modules		Double Door	MRP/Unit in ₹	Double Door - Glazed	MRP/Unit in ₹
	Incomer	Outgoing				
4-Way	8	4+4+4	DTTPN004DD	3925	DTTPN004GD	5130
6-Way	8	6+6+6	DTTPN006DD	4895	DTTPN006GD	6355
8-Way	8	8+8+8	DTTPN008DD	5850	DTTPN008GD	7605
12-Way	8	12+12+12	DTTPN012DD	8715	DTTPN012GD	11645

HORIZONTAL PPI (PER PHASE ISOLATION) DBs

NEW

Description	Modules			Double Door	MRP/Unit in ₹
	Incomer	Sub-Incomer	Outgoing		
4-Way	8	2+2+2	4+4+4	DTHPI004DD	6495
6-Way	8	2+2+2	6+6+6	DTHPI006DD	7775
8-Way	8	2+2+2	8+8+8	DTHPI008DD	9275
12-Way	8	2+2+2	12+12+12	DTHPI012DD	12645

PHASE SEGREGATED DBs

- As per IS 8623
- Available in 4, 6, 8 & 12 way
- Ready to use DBs, complete with colour - coded wire set, 100A insulated bus bars, Neutral bar/s with shroud/s, Earth bar/s, Cement Spill Protector, Cable ties, Blanking plates and Circuit identification label
- With provision for FP MCB/Isolator as incomer, DP RCCB/RCBO as sub-incomer and SP MCBs as outgoing

PHASE SELECTOR DBs

- As per IS 8623
- Available in 4, 6, 8 & 12 way
- Provided with 63A Selector Switches
- Ready to use DBs, complete with colour - coded wire set, 100A insulated bus bars, Neutral bar/s with shroud/s, Earth bar/s, Cable ties, Blanking plates and Circuit identification label
- With provision for FP MCB/Isolator/RCCB/RCBO as incomer and SP MCBs as outgoing

VTPN DBs WITH MODULAR INCOMER

- As per IS 8623
- Available in 4, 6, 8 & 12 way
- Ready to use DBs, complete with colour - coded wire set, Insulated vertical phase bus bars, Neutral bar/s with shroud/s, Earth bar/s, Cement Spill Protector, Cable ties, Blanking plates and Circuit identification label
- With provision for FP MCB/Isolator/RCCB/RCBO as incomer and SP/TP MCBs as outgoing

VTPN DBs WITH MCCB INCOMER

- As per IS 8623
- Available in 4, 6, 8 & 12 way
- Ready to use DBs, complete with colour - coded wire set, Insulated vertical phase bus bars, Neutral bar/s with shroud/s, Earth bar/s, Cement Spill Protector, Cable ties, Blanking plates and Circuit identification label
- With provision for MCCB as incomer and SP/TP MCBs as outgoing
- Suitable for 3P/4P MCCB as incomer upto 125A - DY125U

PHASE SEGREGATED DBs

NEW

Description	Modules			Double Door	MRP/Unit in ₹
	Incomer	Sub-Incomer	Outgoing		
4-Way	8	4+4+4	4+4+4	DTPSG004DD	10325
6-Way	8	4+4+4	6+6+6	DTPSG006DD	11655
8-Way	8	4+4+4	8+8+8	DTPSG008DD	13015
12-Way	8	4+4+4	12+12+12	DTPSG012DD	16425

PHASE SELECTOR DBs

NEW

Description	Modules		Double Door	MRP/Unit in ₹
	Incomer	Outgoing		
4-Way	8	4+4+4	DTPSR004DD	13795
6-Way	8	6+6+6	DTPSR006DD	14125
8-Way	8	8+8+8	DTPSR008DD	14980
12-Way	8	12+12+12	DTPSR012DD	16805

VTPN DBs WITH MODULAR INCOMER

NEW

Description	Modules		Double Door	MRP/Unit in ₹
	Incomer	Outgoing		
4-Way	8	4+4+4	DTVTM004DD	9495
6-Way	8	6+6+6	DTVTM006DD	10910
8-Way	8	8+8+8	DTVTM008DD	12660
12-Way	8	12+12+12	DTVTM012DD	16750

VTPN DBs WITH MCCB INCOMER

NEW

Description	Modules		Double Door	MRP/Unit in ₹
	Incomer	Outgoing		
4-Way	MCCB	4+4+4	DTVTL004DD	11330
6-Way	MCCB	6+6+6	DTVTL006DD	13255
8-Way	MCCB	8+8+8	DTVTL008DD	14400
12-Way	MCCB	12+12+12	DTVTL012DD	18620

ENCLOSURES

- As per IS 8623
- Available in 2, 3, 4 & 6 way
- With provision to mount MCB/Isolator/RCCB/RCBO or other modular devices

PLUG & SOCKET DBs

- As per IS 8623
- SPN 10A & 20A; TPN - 32A
- With provision to mount MCBs/RCCBs

METAL PLUG & SOCKET

- Designed to ensure safe functioning of electrical equipment and the user safety
- Plugs & Sockets find its applications at air conditioners, welding machines, industrial equipment, etc., are made of non corrosive aluminum alloy
- Conforms to IS 8804



ENCLOSURES

NEW

Description	Modules	Single Door	MRP/Unit in ₹
2-Way	2	DTENC002SD	470
3-Way	3	DTENC003SD	525
4-Way	4	DTENC004SD	525
6-Way	6	DTENC006SD	790

PLUG & SOCKET DBs

NEW

Description	No. of Pins	Modules	Single Door	MRP/Unit in ₹
10A, 2 Pin+SC^	P+N	1	DTMPS110SD	1195
20A, 2 Pin+SC^	P+N	1	DTMPS120SD	1270
20A, 2 Pin+SC^	P+N	2	DTMPS220SD	1390
32A, 3 Pin+SC^	3P	3	DTMPS3320SD	3290

SC^ - Scrapping Earth

METAL PLUG & SOCKET

Description	No. of Pins	Cat No	MRP/Unit in ₹
Metal Plug			
10A, 2 Pin+SC^	P+N	MPS210P	185
20A, 2 Pin+SC^	P+N	MPS220P	195
20A, 3 Pin+SC^	3P	MPS320P	255
32A, 3 Pin+SC^	3P	MPS332P	490
Metal Socket			
10A, 2 Pin+SC^	P+N	MPS210S	190
20A, 2 Pin+SC^	P+N	MPS220S	210
20A, 3 Pin+SC^	3P	MPS320S	290
32A, 3 Pin+SC^	3P	MPS332S	490

SC^ - Scrapping Earth

Note: Standard Pack Quantity for Metal Plug & Socket - 20 Nos.



Single Door




Double Door

HIGHLIGHTS

- Ready to use DBs, complete with colour - coded wire set, 100A bus bar, Neutral bar/s & Earth bar/s
- Superior quality powder coating for better looks and longer life
- DB is suitable for surface or flush mounting



Double Door



Double Door

SINGLE PHASE NEUTRAL (SPN) DBs

Description	Modules		Single Door	MRP/Unit in ₹	Double Door	MRP/Unit in ₹
	Incomer	Outgoing				
4 way	2	2	BH104SDB	910	BH104DDB	1465
6 way	2	4	BH106SDB	1000	BH106DDB	1640
8 way	2	6	BH108SDB	1130	BH108DDB	1800
12 way	2	10	BH112SDB	1500	BH112DDB	2200
16 way	2	14	BH116SDB	1870	BH116DDB	2710

THREE PHASE NEUTRAL (TPN) DBs

Description	Modules		Single Door	MRP/Unit in ₹	Double Door	MRP/Unit in ₹
	Incomer	Outgoing				
4 way	8	4+4+4	BH304SDB	2815	BH304DDB	3680
6 way	8	6+6+6	BH306SDB	3480	BH306DDB	4470
8 way	8	8+8+8	BH308SDB	4025	BH308DDB	5420
12 way	8	12+12+12	BH312SDB	5660	BH312DDB	7735

PHASE SELECTOR DBs

Description	Modules		Double Door	MRP/Unit in ₹
	Incomer	Outgoing		
4 way	8	4+4+4	BHC04DDB	11460
6 way	8	6+6+6	BHC06DDB	12210

Provided with 40A selector switches

englaze

#SWITCHUP

When you have stepped beyond the ordinary, every step you take elevates you. Every step is a switch up. Flawlessly flat and majestically minimal, englaze would silently stay a testament to your taste, the life you lived and the world you built around you.

**SWITCH UP TO THE EXTRAORDINARY.
SWITCH UP TO ENGLAZE.**





ANTI-BACTERIAL

No need to keep disinfecting your switches. No one can tarnish the silver infused Englaze range that stays anti-bacterial forever.



FABULOUSLY FLAT LOOK

Englaze is designed to look flat from every angle. With super thin plates and carefully crafted switches, these don't bulge or clutter, they just stay pretty.



SMART CONNECTORS

Don't go searching for adapters now, plug in everything directly with smart connectors. HDMI, VGA, RCA, USB for data & charging and just about everything you need.



REAL MATERIAL PLATES

Real Material Plates are meticulously crafted from authentic, high-quality materials such as genuine wood, metal alloys and premium glass. Choose from various finishes, textures, and colours to create a truly personalized statement.



BEAUTIFULLY BRIDGELESS

Our design philosophy allows no room for gaps. Every element seamlessly flows into the next like a well written poem.



SAFETY SHUTTERS

Go ahead and let your children be mischievous. Every socket is carefully designed with safety shutters to keep them safe.



INDICATIVE REGULATORS

Don't worry about fumbling with the regulators anymore, these beauties come with indicators that tell you exactly what speed its on. Plus, its so pretty!



TESTED FOR INTERNATIONAL STANDARD

Your safety is our top priority. englaze products undergo rigorous testing to meet safety standards, ensuring your peace of mind while using them in your home or workspace.



SOFT FEEL SWITCHES

Welcome home the silent beauty. Nothing can disturb you, not even a toggling of switches with englaze soft feel switches.



QUICK CHARGING

No need to wait any longer to charge your devices. With USB type A and USB type C charging solutions you can charge your devices faster and safer.



TOUCH THE FUTURE

No need to get out of the middle of the great conversations to turn the devices on/off. Now control your devices with IR remote control and feather Touch interface with a luxurious experience.





FLAT DESIGN FAN REGULATOR

Flat Fan regulator design concept to compliment the flat design philosophy of englaze range.



KEY FEATURES: TOUCH SWITCHES

- Modular type Touch Switches range suitable for all englaze plates
- Hassle free installation – No need to change any wiring & mounting boxes
- Easy to locate in dark
- Highly reliable and Durable
- Conforms to international standard IEC-60669 Part 1 & 2
- Range covers Switching, Controls & Hospitality functions
- Black Glass and Mountain grey options to suit home décor



KEY FEATURES: IR REMOTE

- Sit and operate-32 Switch control
- Set your favourite scene-8 different scenes in a click
- Avoid unwanted trigger-Child Lock
- Peace of Mind-Memory function on power resume
- Master Switch-Master On/Off in a click



MODULAR IR TOUCH SWITCHES - Suitable for englaze plates



CB980715M09

CB980645M02

CB980695M07



CB98031FK05


CB98038HK12

CB98037HK11

Mountain Grey




Black Glass



Description	Std Pack	Mountain Grey		Black Glass	
		Cat No	MRP in ₹	Cat No	MRP in ₹
Touch IR Switch 1 Channel 2M	1	CB98065SM03	5800	CB98029SK03	6000
Touch IR Switch 2 Channel 2M	1	CB98064SM02	6200	CB98028SK02	6400
Touch IR Switch 4 Channel 2M	1	CB98063SM01	6800	CB98027SK01	7000
Touch IR Switch 2 way 2M	1	CB98066SM04	6200	CB98030SK04	6400
Touch IR Fan Regulator 8-Step 2M	1	CB98067FM05	7200	CB98031FK05	7400
Touch IR Light Dimmer 2M*	1	CB98068DM06	7500	CB98032DK06	7700
Touch IR Switch 20 A 2M	1	CB98069SM07	6500	CB98033SK07	6700
Touch Bell Push 2M	1	CB98070BM08	5800	CB98034BK08	6000
Touch IR 1 Bell P + 3Ch Switch 2M	1	CB980715M09	7000	CB98035SK09	7200
Touch IR Curtain Control 2M	1	CB98072SM10	6500	CB98036SK10	6700
Touch IR DND/MMR Inside Unit 2M	1	CB98073HM11	6000	CB98037HK11	6200
Touch IR DND/MMR Outside Unit 2M	1	CB98074HM12	6500	CB98038HK12	6700
IR Remote Control - Black	1	CB98T02RM13	1400		

COMPLETE RANGE

I SWITCHES



SWITCH: 4CH

SWITCH: 2CH

SWITCH: 1CH

SWITCH: 2-WAY


SWITCH: BELL PUSH

SWITCH: 1BP+3CH

SWITCH: 20 A

CURTAIN CONTROL


I CONTROLS



LIGHT DIMMER

FAN REGULATOR

I HOSPITALITY



DND-MMR: OUT-SIDE ROOM UNIT

DND-MMR: IN-SIDE ROOM UNIT

*Suitable for Incandescent and Halogen light only


SOFT FEEL SWITCHES - 1 MODULE WITH 



Description	Std Pack	Snow White		Mountain Grey		Sparkle Black <i>(Coming Soon)</i>	
		Cat No	MRP in ₹	Cat No	MRP in ₹	Cat No	MRP in ₹
Switch 10AX 1-way 1M	20	CB92601SW10	205	CB92601SM10	234	CB92601SB10	234
Switch 10AX 1-way with Indicator 1M	20	CB92801SW10	372	CB92801SM10	468	CB92801SB10	468
Switch 10AX 2-way 1M	20	CB92701SW10	355	CB92701SM10	442	CB92701SB10	442
Switch 16AX 1-way 1M	20	CB92601SW16	396	CB92601SM16	494	CB92601SB16	494
Switch 16AX 1-way with Indicator 1M	20	CB92801SW16	475	CB92801SM16	595	CB92801SB16	595
Switch 16AX 2-way 1M	20	CB92701SW16	475	CB92701SM16	595	CB92701SB16	595
Switch 25A 1-way 1M	20	CB92601SW25	520	CB92601SM25	646	CB92601SB25	646
Switch 25A 1-way with Indicator 1M	20	CB92801SW25	629	CB92801SM25	786	CB92801SB25	786

KEY FEATURES

- Designed For Silent Operation
- Soft Feel Switches
- Flat Aesthetic
- Robust Design For Longer Life
- Double rocker system for smooth operations
- 4 part design to reduce switching sound
- Heavy Duty Terminals
- Available in Snow White and Mountain Grey Colour



- All Switches and bell push are ISI marked and conforms to IS 3854: 1997
- "AX" rating for switches are suitable to fluorescent lights also.



CB92102SW10
CB92102SW16
CB92102SW20



CB92402SW20
CB92402SW32
CB92302SW10
CB92302SW16
CB92302SW20



CB92102SM10
CB92102SM16
CB92102SM20



CB92402SM20
CB92402SM32
CB92302SM10
CB92302SM16
CB92302SM20



CB92101BW10



CB92301BW10



CB92102BW10



CB92302BW10



CB92101BM10



CB92301BM10



CB92102BM10



CB92302BM10



CB92102MW25



CB92102MM25

SWITCHES - 2 MODULE (MEGA SWITCHES) WITH ISI

Description	Snow White			Mountain Grey		Sparkle Black <i>(Coming Soon)</i>	
	Std Pack	Cat No	MRP in ₹	Cat No	MRP in ₹	Cat No	MRP in ₹
Switch 20A DP with Indicator 2M	10	CB92402SW20	769	CB92402SM20	963	NA	
Switch 32A DP with Indicator 2M	10	CB92402SW32	920	CB92402SM32	1150	CB92402SB32	1150
Switch 10AX 1-way 2M	10	CB92102SW10	318	CB92102SM10	398	NA	
Switch 10AX 1-way with Indicator 2M	10	CB92302SW10	426	CB92302SM10	536	NA	
Switch 10AX 2-way 2M	10	CB92202SW10	404	CB92202SM10	508	NA	
Switch 16AX 1-way 2M	10	CB92102SW16	475	CB92102SM16	593	NA	
Switch 16AX 1-way with Indicator 2M	10	CB92302SW16	572	CB92302SM16	715	NA	
Switch 16AX 2-way 2M	10	CB92202SW16	572	CB92202SM16	715	NA	
Switch 20A 1-way 2M	10	CB92102SW20	592	CB92102SM20	740	NA	
Switch 20A 1-way with Indicator 2M	10	CB92302SW20	715	CB92302SM20	895	NA	
Switch 20A 2-way 2M	10	CB92202SW20	715	CB92202SM20	895	NA	

BELL PUSH WITH ISI

Description	Snow White			Mountain Grey		Sparkle Black <i>(Coming Soon)</i>	
	Std Pack	Cat No	MRP in ₹	Cat No	MRP in ₹	Cat No	MRP in ₹
Soft Feel Bell Push 10AX 1-way 1M	20	CB92601BW10	370	CB92601BM10	464	CB92601BB10	464
Soft Feel Bell Push 10AX 1-way with Ind 1M	20	CB92801BW10	428	CB92801BM10	533	CB92801BB10	533
Bell Push 10AX 2M	10	CB92102BW10	458	CB92102BM10	570	CB92102BB10	570
Bell Push 10AX with Indicator 2M	10	CB92302BW10	523	CB92302BM10	656	CB92302BB10	656

MOTOR STARTER

Description	Snow White			Mountain Grey		Sparkle Black <i>(Coming Soon)</i>	
	Std Pack	Cat No	MRP in ₹	Cat No	MRP in ₹	Cat No	MRP in ₹
Motor Starter 25A 2M	10	CB92102MW25	1391	CB92102MM25	1739	CB92102MB25	1739

- All Switches and bell push are ISI marked and conforms to IS 3854: 1997
- "AX" rating for switches are suitable to fluorescent lights also.



CB92602CW06

CB92302CW16

CB92303CW16



CB92602CM06

CB92302CM16

CB92303CM16

- 6A 3 Pin , 6A/16A 3 Pin Combi Sockets conforms to latest IS Standard of IS 1293:2019.
- All sockets are equipped with safety shutters.
- 6A 3 Pin Socket is suitable for 2 Pin Plug top also.
- 6A/16A Sockets tested upto 25A rating also.

POWER SOCKETS WITH

Description	Snow White			Mountain Grey		Sparkle Black <i>(Coming Soon)</i>	
	Std Pack	Cat No	MRP in ₹	Cat No	MRP in ₹	Cat No	MRP in ₹
Socket 6A 3 Pin with ISI 2M (Heavy Duty)	10	CB92602CW06	316	CB92602CM06	396	CB92602CB06	396
Socket 6A/16A 3 Pin Combi with ISI 2M	10	CB92302CW16	546	CB92302CM16	651	CB92302CB16	651
Socket 6A/16A 3 Pin Combi with ISI 3M	5	CB92303CW16	660	CB92303CM16	792	NA	

FAN REGULATORS & DIMMERS

Description	Snow White			Mountain Grey		Sparkle Black <i>(Coming Soon)</i>	
	Std Pack	Cat No	MRP in ₹	Cat No	MRP in ₹	Cat No	MRP in ₹
Dimmer 400 W 1M	10	CB92101DW04	1045	CB92101DM04	1306	CB92101DB04	1306
Dimmer 1000 W 2M	5	CB92102DW10	1677	CB92102DM10	2096	NA	
Fan Regulator 4-Step 80W 1M	10	CB92101RW01	952	CB92101RM01	1191	CB92101RB01	1191
Fan Regulator 5-Step 120W with ISI 2M	5	CB92102RW02	1235	CB92102RM02	1544	CB92102RB02	1544
Fan Regulator 5-Step Flat Type 120W with ISI 2M	0	CB92202RW02	1142	CB92202RM02	1428	CB92202RB02	1428



CB92101DM04

CB92102DM10

CB921101RM01

CB92102RM02

CB92202RM02

- 5 step fan regulator conforms to IS 11037: 1984 and comes with "flag indicator".
- All fan regulators are with 360 degree rotation.
- Dimmers only support incandescent and halogen load.
- Fan regulators are not suitable for BLDC fans.




CB92101TW11 CB92201TW45 CB92301TW45 CB92201TW00 CB92301TW00 CB92401TW00



CB92101TM11 CB92201TM45 CB92301TM45 CB92201TM00 CB92301TM00 CB92501TM00



CB92101AW00 CB92102LW00 CB92101AW02



CB92401AW00 CB92502AW10



CB92402AW00 CB92701AW00 CB92101AW18 CB92201AM18

DATA SOCKETS

Description	Snow White			Mountain Grey		Sparkle Black <i>(Coming Soon)</i>	
	Std Pack	Cat No	MRP in ₹	Cat No	MRP in ₹	Cat No	MRP in ₹
RJ 11 Socket with Shutter 1M	20	CB92101TW11	312	CB92101TM11	391	CB92101TB11	391
Twin RJ 11 Socket with Shutter 1M	20	CB92201TW11	426	CB92201TM11	533	NA	
RJ 45 Cat 6 Socket with Shutter 1M	20	CB92201TW45	1111	CB92201TM45	1389	CB92201TB45	1389
New RJ 45 Cat 6A Socket with Shutter 1M	20	CB92301TW45	1125	CB92301TM45	1395	CB92301TB45	1395
TV Socket 1M	20	CB92101TW00	305	CB92101TM00	380	CB92101TB00	380
RCA connector 1M	20	CB92201TW00	3703	CB92201TM00	4426	NA	
HDMI connector 1M	20	CB92301TW00	3029	CB92301TM00	3621	NA	
USB Connector 1M	20	CB92401TW00	2582	CB92401TM00	3085	NA	
VGA Connector 1M	20	CB92501TW00	2804	CB92501TM00	3353	NA	

ACCESSORIES

Description	Snow White			Mountain Grey		Sparkle Black <i>(Coming Soon)</i>	
	Std Pack	Cat No	MRP in ₹	Cat No	MRP in ₹	Cat No	MRP in ₹
Buzzer 2M	5	CB92102AW00	717	CB92102AM00	872	CB92102AB00	872
Cable Outlet 1M	20	CB92101AW00	243	CB92101AM00	296	CB92101AB00	296
Blank off unit 1M	20	CB92201AW00	64	CB92201AM00	77	CB92201AB00	77
LED Foot Light 2M	5	CB92102LW00	1441	CB92102LM00	1759	CB92102LB00	1759
USB Charger - 2A 1M	10	CB92101AW02	1984	CB92101AM02	2762	CB92101AB02	2762
USB Type A Quick Charger 18W 1M	10	CB92101AW18	2550	CB92101AM18	2850	CB92101AB18	2850
USB Type C PD Charger 18W 1M	10	CB92201AW18	3350	CB92201AM18	3650	CB92201AB18	3650
LED Phase Indicator 1M - Full Glow	20	CB92401AW00	403	Same as White		Same as White	
Curtain Control Switch 10A 2M	1 Set	CB92502AW10	739	CB92502AM10	1129	NA	
Electronic Ding Dong Bell 2M	10	CB92402AW00	1190	CB92402AM00	1486	NA	
Movement Sensor 1M	6	CB92701AW00	7305	CB92701AM00	9131	NA	



CB92104HW10

CB92202HW20
CB92302HW32

CB92302HW00

CB92403HW20

CB92502HW10

CB92602HW10

CB92702HW00

CB92801HW00

CB92902HW00

HOSPITALITY RANGE

Description	Snow White			Mountain Grey		Sparkle Black <i>(Coming Soon)</i>	
	Std Pack	Cat No	MRP in ₹	Cat No	MRP in ₹	Cat No	MRP in ₹
Shaver socket 4M	1	CB92104HW10	6157	CB92104HM10	7694	NA	
Mech key tag switch 20A 2M	5	CB92202HW20	1233	CB92202HM20	1542	CB92202HB20	1542
Mech Key Tag Switch 32A 2M	10	CB92302HW32	1395	CB92302HM32	1745	CB92302HB32	1745
Spare Key for Mech Key Tag	5	CB92302HW00	121	CB92302HM00	135	CB92302HB00	135
Electronic Key Tag 20A 3M	2	CB92403HW20	5501	CB92403HM20	6875	CB92403HB20	6875
DND-MMR Inside Room Unit 2M	10	CB92502HW10	1272	CB92502HM10	1591	CB92502HB10	1591
DND-MMR Outside Room Unit 2M	10	CB92602HW10	903	CB92602HM10	1128	CB92602HB10	1128
Volume Controller 2M	10	CB92702HW00	1395	CB92702HM00	1745	CB92702HB00	1745
Bell Indicator with Reset 1M	6	CB92801HW00	1469	CB92801HM00	1836	NA	
Call Bell Station with Ind 2M	10	CB92902HW00	2052	CB92902HM00	2566	NA	

MINI MCBs WITH LED INDICATOR



CB92101KW06
CB92101KW10
CB92101KW16
CB92101KW20
CB92101KW25
CB92101KW32

CB92202KW25
CB92202KW32

CB92101KM06
CB92101KM10
CB92101KM16
CB92101KM20
CB92101KM25
CB92101KM32

CB92202KM25
CB92202KM32

Description	Snow White			Mountain Grey		Sparkle Black <i>(Coming Soon)</i>	
	Std Pack	Cat No	MRP in ₹	Cat No	MRP in ₹	Cat No	MRP in ₹
6A SP Mini MCB 3 kA	10	CB92101KW06	605	CB92101KM06	705	NA	
10A SP Mini MCB 3 kA	10	CB92101KW10	605	CB92101KM10	705	NA	
16A SP Mini MCB 3 kA	10	CB92101KW16	605	CB92101KM16	705	NA	
20A SP Mini MCB 3 kA	10	CB92101KW20	605	CB92101KM20	705	NA	
25A SP Mini MCB 3 kA	10	CB92101KW25	605	CB92101KM25	705	NA	
32A SP Mini MCB 3 kA	10	CB92101KW32	605	CB92101KM32	705	NA	
25A DP Mini MCB 3 kA	5	CB92202KW25	1216	CB92202KM25	1407	NA	
32A DP Mini MCB 3 kA	5	CB92202KW32	1216	CB92202KM32	1407	NA	

- USB charger conforms to IS 13252(Part1)
- Electronic ding-dong bell is suitable for small rooms/cabins etc.
- Movement Sensor is for indoor applications only.
- Shaver socket is mono block design and supplied with 4 module cover plate.
- Mechanical & electronic key tags are modular type.



Mocha Wood



Beige Wood



Oak Wood



Shadow Black



Metallic Gold



Brush Silver

All wooden, glass and metal plates are supplied without grid frames. Customers need to order the grid plates separately. Being Natural Wood, color and texture may have variations in supplied wooden plates.

WOOD PLATES WITHOUT GRID FRAMES

Description	Mocha Wood			Beige Wood		Oak Wood	
	Std Pack	Cat No	MRP in ₹	Cat No	MRP in ₹	Cat No	MRP in ₹
1 Module Cover Plate	1/10	CB92101FM04	1960	CB92101FB04	1960	CB92101FW04	1960
2 Module Cover Plate	1/10	CB92102FM04	2171	CB92102FB04	2171	CB92102FW04	2171
3 Module Cover Plate	1/10	CB92103FM04	2578	CB92103FB04	2578	CB92103FW04	2578
4 Module Cover Plate	1/10	CB92104FM04	2770	CB92104FB04	2770	CB92104FW04	2770
6 Module Cover Plate	1/10	CB92106FM04	2949	CB92106FB04	2949	CB92106FW04	2949
8 Module Cover Plate Horizontal	1/10	CB92108FM04	3219	CB92108FB04	3219	CB92108FW04	3219
8 Module Cover Plate Square	1/5	CB92208FM04	3641	CB92208FB04	3641	CB92208FW04	3641
12 Module Cover Plate	1/5	CB92112FM04	5444	CB92112FB04	5444	CB92112FW04	5444
16 Module Cover Plate	1/4	CB92116FM04	6153	CB92116FB04	6153	CB92116FW04	6153
18 Module Cover Plate	1/5	CB92118FM04	6705	CB92118FB04	6705	CB92118FW04	6705

METAL (ALUMINIUM) PLATES WITHOUT GRID FRAMES

Description	Shadow Black			Metallic Gold		Brush Silver		Jet Black <i>(Coming Soon)</i>	
	Std Pack	Cat No	MRP in ₹	Cat No	MRP in ₹	Cat No	MRP in ₹	Cat No	MRP in ₹
1 Module Cover Plate	1/10	CB92101FB03	2208	CB92101FG03	2208	CB92101FS03	2208	CB92101FJ03	2208
2 Module Cover Plate	1/10	CB92102FB03	2415	CB92102FG03	2415	CB92102FS03	2415	CB92102FJ03	2415
3 Module Cover Plate	1/10	CB92103FB03	2842	CB92103FG03	2842	CB92103FS03	2842	CB92103FJ03	2842
4 Module Cover Plate	1/10	CB92104FB03	3169	CB92104FG03	3169	CB92104FS03	3169	CB92104FJ03	3169
6 Module Cover Plate	1/10	CB92106FB03	3903	CB92106FG03	3903	CB92106FS03	3903	CB92106FJ03	3903
8 Module Cover Plate Horizontal	1/10	CB92108FB03	4646	CB92108FG03	4646	CB92108FS03	4646	CB92108FJ03	4646
8 Module Cover Plate Square	1/5	CB92208FB03	5265	CB92208FG03	5265	CB92208FS03	5265	CB92208FJ03	5265
12 Module Cover Plate	1/5	CB92112FB03	7907	CB92112FG03	7907	CB92112FS03	7907	CB92112FJ03	7907
16 Module Cover Plate	1/4	CB92116FB03	10107	CB92116FG03	10107	CB92116FS03	10107	CB92116FJ03	10107
18 Module Cover Plate	1/5	CB92118FB03	12957	CB92118FG03	12957	CB92118FS03	12957	CB92118FJ03	12957



GLASS PLATES WITHOUT GRID FRAMES



Icy White



Champagne Gold



Silky Silver

Description	Std Pack	Icy White		Champagne Gold		Silky Silver	
		Cat No	MRP in ₹	Cat No	MRP in ₹	Cat No	MRP in ₹
1 Module Cover Plate	1/10	CB92101FW02	1338	CB92101FC02	1338	CB92101FS02	1338
2 Module Cover Plate	1/10	CB92102FW02	1515	CB92102FC02	1515	CB92102FS02	1515
3 Module Cover Plate	1/10	CB92103FW02	1630	CB92103FC02	1630	CB92103FS02	1630
4 Module Cover Plate	1/10	CB92104FW02	2112	CB92104FC02	2112	CB92104FS02	2112
6 Module Cover Plate	1/10	CB92106FW02	2481	CB92106FC02	2481	CB92106FS02	2481
8 Module Cover Plate Horizontal	1/10	CB92108FW02	2812	CB92108FC02	2812	CB92108FS02	2812
8 Module Cover Plate Square	1/5	CB92208FW02	2812	CB92208FC02	2812	CB92208FS02	2812
12 Module Cover Plate	1/5	CB92112FW02	4374	CB92112FC02	4374	CB92112FS02	4374
16 Module Cover Plate	1/4	CB92116FW02	4501	CB92116FC02	4501	CB92116FS02	4501
18 Module Cover Plate	1/5	CB92118FW02	4881	CB92118FC02	4881	CB92118FS02	4881

GLASS PLATES WITHOUT GRID FRAMES



Midnight Black



Oceanic Green



Matte Mirror

Description	Std Pack	Midnight Black		Oceanic Green		Matte Mirror	
		Cat No	MRP in ₹	Cat No	MRP in ₹	Cat No	MRP in ₹
1 Module Cover Plate	1/10	CB92101FB02	1338	CB92101FG02	1338	CB92101FM02	1338
2 Module Cover Plate	1/10	CB92102FB02	1515	CB92102FG02	1515	CB92102FM02	1515
3 Module Cover Plate	1/10	CB92103FB02	1630	CB92103FG02	1630	CB92103FM02	1630
4 Module Cover Plate	1/10	CB92104FB02	2112	CB92104FG02	2112	CB92104FM02	2112
6 Module Cover Plate	1/10	CB92106FB02	2481	CB92106FG02	2481	CB92106FM02	2481
8 Module Cover Plate Horizontal	1/10	CB92108FB02	2812	CB92108FG02	2812	CB92108FM02	2812
8 Module Cover Plate Square	1/5	CB92208FB02	2812	CB92208FG02	2812	CB92208FM02	2812
12 Module Cover Plate	1/5	CB92112FB02	4374	CB92112FG02	4374	CB92112FM02	4374
16 Module Cover Plate	1/4	CB92116FB02	4501	CB92116FG02	4501	CB92116FM02	4501
18 Module Cover Plate	1/5	CB92118FB02	4881	CB92118FG02	4881	CB92118FM02	4881

All wooden, glass and metal plates are supplied without grid frames. Customers need to order the grid plates separately.




COVER PLATES WITH GRID FRAMES

Description	Std Pk	Snow White		Mountain Grey		Champagne Gold		Moonlight Silver		Sparkle Black <i>(Coming Soon)</i>		Gold Blush <i>(Coming Soon)</i>		Satin Chrome <i>(Coming Soon)</i>		MRP in ₹
		Cat No	MRP in ₹	Cat No	Cat No	Cat No	Cat No	Cat No	Cat No	Cat No	Cat No	Cat No				
1 Module Cover Plate	10	CB92101FW00	216	CB92101FM01	CB92101FC01	CB92101FS01	CB92101FB01	CB92101FG01	CB92101FT01							326
2 Module Cover Plate	10	CB92102FW00	216	CB92102FM01	CB92102FC01	CB92102FS01	CB92102FB01	CB92102FG01	CB92102FT01							326
3 Module Cover Plate	10	CB92103FW00	251	CB92103FM01	CB92103FC01	CB92103FS01	CB92103FB01	CB92103FG01	CB92103FT01							378
4 Module Cover Plate	10	CB92104FW00	289	CB92104FM01	CB92104FC01	CB92104FS01	CB92104FB01	CB92104FG01	CB92104FT01							434
6 Module Cover Plate	5	CB92106FW00	448	CB92106FM01	CB92106FC01	CB92106FS01	CB92106FB01	CB92106FG01	CB92106FT01							671
8 Module Cover Plate H	4	CB92108FW00	530	CB92108FM01	CB92108FC01	CB92108FS01	CB92108FB01	CB92108FG01	CB92108FT01							797
8 Module Cover Plate S	5	CB92208FW00	530	CB92208FM01	CB92208FC01	CB92208FS01	CB92208FB01	CB92208FG01	CB92208FT01							797
12 Module Cover Plate	5	CB92112FW00	715	CB92112FM01	CB92112FC01	CB92112FS01	CB92112FB01	CB92112FG01	CB92112FT01							1073
16 Module Cover Plate	4	CB92116FW00	888	CB92116FM01	CB92116FC01	CB92116FS01	CB92116FB01	CB92116FG01	CB92116FT01							1275
18 Module Cover Plate	5	CB92118FW00	1002	CB92118FM01	CB92118FC01	CB92118FS01	CB92118FB01	CB92118FG01	CB92118FT01							1436

All white and colour plates are supplied with grid frames.

GRID FRAMES FOR ALL MATERIAL PLATES (GLASS, METAL, WOOD)



Description	Std Pack	Cat No	MRP in ₹
1/2 Module Grid Frame	10	CB92102GB00	84
3 Module Grid Frame	10	CB92103GB00	106
4 Module Grid Frame	10	CB92104GB00	126
6 Module Grid Frame	5	CB92106GB00	196
8 Module Grid Frame Horizontal	4	CB92108GB00	232
8 Module Grid Frame Square	5	CB92208GB00	232
12 Module Grid Frame	5	CB92112GB00	317
16 Module Grid Frame	4	CB92116GB00	411
18 Module Grid Frame	5	CB92118GB00	458

For Metal Boxes refer pg. no. 43

entice

EVERY SHADE OF YOU

entice and its vibrant palette is made for every shade of you. Every colour is a character, a trait we saw in you. When it adorns your walls it doesn't make a style statement, it makes your statement. So go ahead, find a shade that reflects you.



THE SHADE OF SUCCESS

360-degree /
full rotation of
fan regulator.

Modular
USB
charger.

Complete
connection
solution for
TV, computers,
projectors etc.

Modular MCB
with LED
Indicators.

ISI & CE
certified

Glass Plates &
Marble Finish
available

Strong,
durable
build.

Safety
shutters.

Sleek,
ribless
design.

Vertical &
horizontal
mounting
plates.

Tested for over
3 Lakh clicks.

HDMI, VGA,
USB & RCA
communication
connectors.

Feather Touch
Switches with
Remote

High
gloss
mirror
finish.

MODULAR IR TOUCH SWITCHES - Suitable for entice plates

KEY FEATURES : TOUCH SWITCHES

- Modular type Touch Switches range suitable for all entice plates
- Hassle free installation-No need to change any wiring & mounting boxes
- Night Locator-Easy to locate in dark
- Highly Reliable & Durable
- Conforms to international standard IEC-60669 Part 1 & 2
- Range covers Switching & Controls function
- Black & Charcoal Grey options available




KEY FEATURES: IR REMOTE


- Sit and operate-32 Switch control
- Set your favourite scene-8 different scenes in a click
- Master Switch-Master On/Off in a click




SWITCHES




SWITCH: 4CH




SWITCH: 2CH



SWITCH: 2-WAY




SWITCH: BELL PUSH




SWITCH: 25 A

CONTROLS



LIGHT DIMMER



FAN REGULATOR

Charcoal Grey



Black



Description	Std Pack	Charcoal Grey		Black	
		Cat No	MRP in ₹	Cat No	MRP in ₹
Touch IR Switch 2 Channel 2M	1	CB91602SC02	4650	CB91602SB02	4650
Touch IR Switch 4 Channel 2M	1	CB91602SC04	5100	CB91602SB04	5100
Touch IR Switch 2 way 2M	1	CB91602SC00	4960	CB91602SB00	4960
Touch Bell Push 2M	1	CB91602BC00	4640	CB91602BB00	4640
Touch IR Switch 25 A 2M	1	CB91602SC20	4875	CB91602SB20	4875
Touch IR Fan Regulator 8-Step 2M	1	CB91602FC00	5400	CB91602RB00	5400
Touch IR Universal Light Dimmer 2M*	1	CB91602DC00	6000	CB91602DB00	6000
IR Remote Control - Black	1	CB98T02RM13	1400		

*Universal Dimmer suitable for LED Lights with phase-cut drivers

SWITCHES WITH 




CB91101SW10 CB91301SW10 CB91201SW10 CB91402SW20
 CB91101SW16 CB91301SW16 CB91201SW16 CB91402SW32
 CB91101SW25 CB91301SW25



CB91101SG10 CB91301SG10 CB91201SG10 CB91402SG20
 CB91101SG16 CB91301SG16 CB91201SG16 CB91402SG32
 CB91101SG25 CB91301SG25



CB91101BW10 CB91301BW10 CB91101BG10 CB91301BG10



CB91102MW25 CB91102MG25

- 3 Lakh switching operation.
- Spark Shield, Captive screws & Tunnel Terminals.
- All Switches and bell push are ISI marked and conforms to IS 3854: 1997
- "AX" rating for switches are suitable to fluorescent lights also.

Description	Std Pack	White		Charcoal Grey	
		Cat No	MRP in ₹	Cat No	MRP in ₹
Switch 10AX 1-way 1M	20	CB91101SW10	116	CB91101SG10	153
Switch 10AX 1-way with Indicator 1M	20	CB91301SW10	254	CB91301SG10	356
Switch 10AX 2-way 1M	20	CB91201SW10	242	CB91201SG10	337
Switch 16AX 1-way 1M	20	CB91101SW16	271	CB91101SG16	376
Switch 16AX 1-way with Indicator 1M	20	CB91301SW16	323	CB91301SG16	457
Switch 16AX 2-way 1M	20	CB91201SW16	339	CB91201SG16	457
Switch 25A 1-way 1M	20	CB91101SW25	383	CB91101SG25	437
Switch 25A 1-way with Indicator 1M	20	CB91301SW25	464	CB91301SG25	503
Switch 20A DP with Indicator 2M	10	CB91402SW20	584	CB91402SG20	768
Switch 32A DP with Indicator 2M	10	CB91402SW32	671	CB91402SG32	921

BELL PUSH WITH 

Description	Std Pack	White		Charcoal Grey	
		Cat No	MRP in ₹	Cat No	MRP in ₹
Bell Push 10AX 1M	20	CB91101BW10	269	CB91101BG10	353
Bell Push 10AX with indicator 1M	20	CB91301BW10	309	CB91301BG10	407
Bell Push 10AX with indicator 2M	10	CB91302BW10	400	CB91302BG10	525

MOTOR STARTER

Description	Std Pack	White		Charcoal Grey	
		Cat No	MRP in ₹	Cat No	MRP in ₹
Motor Starter 25A 2M	10	CB91102MW25	1256	CB91102MG25	1679

POWER SOCKETS WITH 



CB91602CW06
CB91702CW06



CB91302CW16



CB91602CG06
CB91702CG06



CB91302CG16

Description	Std Pack	White		Charcoal Grey	
		Cat No	MRP in ₹	Cat No	MRP in ₹
Socket 6A 3 Pin with ISI 2M	10	CB91602CW06	186	CB91602CG06	266
New Socket 6A 3 Pin with ISI 2M (Heavy Duty)	10	CB91702CW06	210	CB91702CG06	285
Socket 6A/16A 3 Pin Combi with ISI 2M	10	CB91302CW16	415	CB91302CG16	583

- 6A 3 Pin, 6A/16A 3 Pin Combi Sockets conforms to latest IS Standard of IS 1293:2019.
- All sockets are equipped with safety shutters.
- 6A 3 Pin Socket is suitable for 2 Pin Plug top also.
- 6A 3 Pin Socket Heavy Duty is with heavy connectors and terminals for more durability.
- 6A/16A Sockets tested upto 25A rating also.

FAN REGULATORS & DIMMERS



CB91101DW04



CB91102DW10



CB91101RW01



CB91102RW02

Description	Std Pack	White		Charcoal Grey	
		Cat No	MRP in ₹	Cat No	MRP in ₹
Dimmer 400 W 1M	10	CB91101DW04	872	CB91101DG04	1238
Dimmer 1000 W 2M	5	CB91102DW10	1397	CB91102DG10	1988
Fan Regulator 4-Step 80W 1M	10	CB91101RW01	660	CB91101RG01	946
Fan Regulator 5-Step 120W with ISI 2M	5	CB91102RW02	912	CB91102RG02	1307

- 5 step fan regulator conforms to IS 11037: 1984
- All fan regulators are with 360 degree rotation.
- Dimmers only support incandescent and halogen load.
- Fan regulators are not suitable for BLDC fans.

DATA SOCKETS



CB91101TW11 CB91201TW11 CB91201TW45
CB91301TW45 CB91101TW00 CB91301TW00 CB91401TW00



CB91501TW00 CB91201TG00 CB91301TG00 CB91501TG00

- For Cat 6- Data transfer speed is upto 1GBPS and Bandwidth frequency is upto 250MHz.
- For Cat 6A- Data transfer speed is upto 10GBPS and Bandwidth frequency is upto 500MHz.

Description	Standard Pack	White		Charcoal Grey	
	White	Cat No	MRP in ₹	Cat No	MRP in ₹
RJ 11 Socket with Shutter 1M	20	CB91101TW11	255	CB91101TG11	377
Twin RJ 11 Socket with Shutter 1M	20	CB91201TW11	356	CB91201TG11	512
RJ 45 Cat 6 Socket with Shutter 1M	20	CB91201TW45	926	CB91201TG45	1331
New RJ 45 Cat 6A Socket with Shutter 1M	20	CB91301TW45	935	CB91301TG45	1350
TV Socket 1M	20	CB91101TW00	255	CB91101TG00	362
RCA Connector 1M	20	CB91201TW00	3087	CB91201TG00	4248
HDMI Connector 1M	20	CB91301TW00	2525	CB91301TG00	3474
USB Connector 1M	20	CB91401TW00	2151	CB91401TG00	2961
VGA Connector 1M	20	CB91501TW00	2338	CB91501TG00	3218

ACCESSORIES



CB91102AW00 CB91402AW00 CB91101AW00 CB91201AW00 CB91102LW00



CB91101AW02 CB91401AW00 CB91102AG00 CB91101AG00 CB91201AG00 CB91101AG18 CB91201AW18

- USB charger conforms to IS 13252(Part1),
- Electronic ding-dong bell is suitable for small rooms/cabins etc.

Description	Std Pack	White		Charcoal Grey	
		Cat No	MRP in ₹	Cat No	MRP in ₹
Buzzer 2M	5	CB91102AW00	608	CB91102AG00	875
Cable Outlet 1M	White 20 Grey 15	CB91101AW00	206	CB91101AG00	296
Blank Off Unit 1M	20	CB91201AW00	54	CB91201AG00	75
LED Foot Light 2M	5	CB91102LW00	1225	CB91102LG00	1762
USB Charger 2A 1M	10	CB91101AW02	1639	CB91101AG02	2449
USB Type A Quick Charger 18W 1M	10	CB91101AW18	2150	CB91101AG18	2495
USB Type C PD Charger 18W 1M	10	CB91201AW18	2950	CB91201AG18	3350
LED Phase Indicator 1M - Full Glow	20	CB91401AW00	318	Same as White	
Electronic Ding Dong Bell 2M	10	CB91402AW00	1058	CB91402AG00	1404



Mechanical Key Tag are modular type and supplied without any plates.

FEATURES

- Mini MCBs with LED indicator
- Range available in Single & Double pole
- Ratings – 6A, 10A, 16A, 20A, 25A & 32A with C Curve
- Conforms to IS/IEC 60898 – part 1
- Breaking capacity – 3 kA
- Trip free mechanism
- No Line load biased
- Suitable for use as isolator
- Available in White & Charcoal Grey colors
- IP20 protection
- RoHS Compliant



HOSPITALITY RANGE

Description	Std Pack	White		Charcoal Grey	
		Cat No	MRP in ₹	Cat No	MRP in ₹
Mech Key Tag Switch 20A 2M	5	CB91202HW20	912	CB91202HG20	1203
Mech Key Tag Switch 32A 2M	5	CB91302HW32	1035	CB91302HG32	1365
Spare Key for Mech Key Tag	10	CB91302HW00	96	CB91302HG00	108
DND-MMR Inside Room Unit 2M	10	CB91502HW10	714	CB91502HG10	1043
DND-MMR Outside Room Unit 2M	10	CB91602HW10	761	Same as White	
Bell Indicator with Reset 1M	10	CB91801HW00	1304	CB91801HG00	1723
Volume Controller 2M	10	CB91702HW00	1265	CB91702HG00	1596

MINI MCBs WITH LED INDICATOR

Description	Std Pack	White		Charcoal Grey	
		Cat No	MRP in ₹	Cat No	MRP in ₹
6A SP Mini MCB 3ka 1M	10	CB91101KW06	532	CB91101KG06	662
10A SP Mini MCB 3ka 1M	10	CB91101KW10	532	CB91101KG10	662
16A SP Mini MCB 3ka 1M	10	CB91101KW16	532	CB91101KG16	662
20A SP Mini MCB 3ka 1M	10	CB91101KW20	532	CB91101KG20	662
25A SP Mini MCB 3ka 1M	10	CB91101KW25	532	CB91101KG25	662
32A SP Mini MCB 3ka 1M	10	CB91101KW32	532	CB91101KG32	662
25A DP Mini MCB 3ka 2M	5	CB91202KW25	1058	CB91202KG25	1307
32A DP Mini MCB 3ka 2M	5	CB91202KW32	1058	CB91202KG32	1307

WHITES



The serenity of the white classics are perfect for those who seek understated elegance.



VIVID



Gold Rush



Eco Grey


Handpicked artistic colours that will shine through, as a display of your fine taste.



Charcoal Grey



Ice Silver



Bottle Green



Black Beauty

VIBRANT



Firestorm Orange

Rare & full of life, the vibrant series is full of bright colours, crafted for those who prefer the exotic.



Metallic Grey



Rustic Gold



Rose Gold

WOODEN




Cinnamon Wood

Rustic & earthy, these wooden tones really bring out the aesthetics of your home.



Dark Chocolate Wood

COVER PLATES WITH GRID FRAMES - WHITE



Description	Std Pack	Cat No	MRP in ₹
1 Module Cover Plate+Grid Frame	15	CB91101FW00	172
2 Module Cover Plate+Grid Frame	15	CB91102FW00	172
3 Module Cover Plate+Grid Frame	10	CB91103FW00	224
4 Module Cover Plate+Grid Frame	10	CB91104FW00	256
6 Module Cover Plate+Grid Frame	5	CB91106FW00	343
8 Module Cover Plate+Grid Frame Horizontal	5	CB91108FW00	408
8 Module Cover Plate+Grid Frame Square	5	CB91208FW00	408
8 Module Cover Plate+Grid Frame-Small Size (Suitable for Oris 10M Boxes)	5	CB91308FW00	484
12 Module Cover Plate+Grid Frame	5	CB91112FW00	551
16 Module Cover Plate+Grid Frame	4	CB91116FW00	683
18 Module Cover Plate+Grid Frame	5	CB91118FW00	721

- 8M Horizontal Small size, is suitable for 10M ORIS Box.
- All White cover plates supplied with grid frames.
- 16M Cover plate is also suitable for 12M GI metal box.

COVER PLATES WITHOUT GRID FRAMES - VIVID SHADES



Description	Std Pack	Charcoal Grey	Eco Grey	Gold Rush	Ice Silver	Black Beauty	Bottle Green	MRP in ₹
		Cat No	Cat No	Cat No	Cat No	Cat No	Cat No	
1 Module Cover Plate	15	CB91101FG11	CB91101FE11	CB91101FU11	CB91101FI11	CB91101FB11	CB91101FD11	219
2 Module Cover Plate	15	CB91102FG11	CB91102FE11	CB91102FU11	CB91102FI11	CB91102FB11	CB91102FD11	219
3 Module Cover Plate	10	CB91103FG11	CB91103FE11	CB91103FU11	CB91103FI11	CB91103FB11	CB91103FD11	292
4 Module Cover Plate	10	CB91104FG11	CB91104FE11	CB91104FU11	CB91104FI11	CB91104FB11	CB91104FD11	323
6 Module Cover Plate	5	CB91106FG11	CB91106FE11	CB91106FU11	CB91106FI11	CB91106FB11	CB91106FD11	417
8 Module Cover Plate Horizontal	5	CB91108FG11	CB91108FE11	CB91108FU11	CB91108FI11	CB91108FB11	CB91108FD11	489
8 Module Cover Plate Square	5	CB91208FG11	CB91208FE11	CB91208FU11	CB91208FI11	CB91208FB11	CB91208FD11	489
12 Module Cover Plate	5	CB91112FG11	CB91112FE11	CB91112FU11	CB91112FI11	CB91112FB11	CB91112FD11	661
16 Module Cover Plate	5	CB91116FG11	CB91116FE11	CB91116FU11	CB91116FI11	CB91116FB11	CB91116FD11	897
18 Module Cover Plate	5	CB91118FG11	CB91118FE11	CB91118FU11	CB91118FI11	CB91118FB11	CB91118FD11	995

- All color plates supplied without grid frames.
- Customer need to select Grid Frames Separately.
- All colour product pictures are for visualization purpose only, actual product colour may vary.
- Automotive Grade 2K PU Paint Technology for Durability.
- 16M Cover plate is also suitable for 12M GI metal box.

COVER PLATES WITHOUT GRID FRAMES - VIBRANT SHADES



Rustic Gold

Metallic Grey



Firestorm Orange

Rose Gold

- All color plates supplied without grid frames.
- Customer need to select Grid Frames Separately.
- All colour product pictures are for visualization purpose only, actual product colour may vary.
- Automotive Grade 2K PU Paint Technology for Durability.
- 16M Cover plate is also suitable for 12M GI metal box.

Description	Std Pack	Rustic Gold	Metallic Grey	Firestorm Orange	Rose Gold	MRP in ₹
		Cat No	Cat No	Cat No	Cat No	
1 Module Cover Plate	15	CB91101FR11	CB91101FM11	CB91101FS11	CB91101FL11	345
2 Module Cover Plate	15	CB91102FR11	CB91102FM11	CB91102FS11	CB91102FL11	345
3 Module Cover Plate	10	CB91103FR11	CB91103FM11	CB91103FS11	CB91103FL11	431
4 Module Cover Plate	10	CB91104FR11	CB91104FM11	CB91104FS11	CB91104FL11	455
6 Module Cover Plate	5	CB91106FR11	CB91106FM11	CB91106FS11	CB91106FL11	523
8 Module Cover Plate Horizontal	5	CB91108FR11	CB91108FM11	CB91108FS11	CB91108FL11	686
8 Module Cover Plate Square	5	CB91208FR11	CB91208FM11	CB91208FS11	CB91208FL11	686
12 Module Cover Plate	5	CB91112FR11	CB91112FM11	CB91112FS11	CB91112FL11	915
16 Module Cover Plate	5	CB91116FR11	CB91116FM11	CB91116FS11	CB91116FL11	1007
18 Module Cover Plate	5	CB91118FR11	CB91118FM11	CB91118FS11	CB91118FL11	1251

COVER PLATES WITHOUT GRID FRAMES - WOODEN FINISHES



Dark Chocolate Wood

Cinnamon Wood

- All color plates supplied without grid frames.
- Customer need to select Grid Frames Separately.
- All colour product pictures are for visualization purpose only, actual product colour may vary.
- Cubic Printing Technology used for wooden finishes.
- 16M Cover plate is also suitable for 12M GI metal box.

Description	Std Pack	Dark Chocolate Wood	Cinnamon Wood	MRP in ₹
		Cat No	Cat No	
1 Module Cover Plate	15	CB91101FL12	CB91101FA12	352
2 Module Cover Plate	15	CB91102FL12	CB91102FA12	352
3 Module Cover Plate	10	CB91103FL12	CB91103FA12	422
4 Module Cover Plate	10	CB91104FL12	CB91104FA12	502
6 Module Cover Plate	5	CB91106FL12	CB91106FA12	681
8 Module Cover Plate Horizontal	5	CB91108FL12	CB91108FA12	824
8 Module Cover Plate Square	5	CB91208FL12	CB91208FA12	824
12 Module Cover Plate	5	CB91112FL12	CB91112FA12	1168
16 Module Cover Plate	5	CB91116FL12	CB91116FA12	1473
18 Module Cover Plate	5	CB91118FL12	CB91118FA12	1844

Presenting the all new range of Glass plates in entice. These Glass Plates represent the perfect amalgamation of style and functionality. Crafted with utmost precision and attention to detail, they exude elegance and modernity, elevating the aesthetics of any space they adorn.

Onyx Black Glass

Classic Grey Glass

- Real Toughened 4mm Glass with Golden Bezel
- Plates are supplied with Grid Plates

ENTICE GLASS PLATES WITH GRID FRAME **NEW**

Description	Onyx Black Glass			Classic Grey Glass	
	Std Pack	Cat No	MRP in ₹	Cat No	MRP in ₹
1 Module Cover Plate	1	CB91101FB02	790	CB91101FC02	790
2 Module Cover Plate	1	CB91102FB02	790	CB91102FC02	790
3 Module Cover Plate	1	CB91103FB02	1125	CB91103FC02	1125
4 Module Cover Plate	1	CB91104FB02	1550	CB91104FC02	1550
6 Module Cover Plate	1	CB91106FB02	1950	CB91106FC02	1950
8 Module Cover Plate Horizontal	1	CB91108FB02	2250	CB91108FC02	2250
8 Module Cover Plate Square	1	CB91208FB02	2250	CB91208FC02	2250
12 Module Cover Plate	1	CB91112FB02	2725	CB91112FC02	2725
16 Module Cover Plate	1	CB91116FB02	2950	CB91116FC02	2950
18 Module Cover Plate	1	CB91118FB02	3350	CB91118FC02	3350

Introducing the timeless beauty of Marble finish plates. Marble finish plates effortlessly blend with a variety of interior styles, from classic to contemporary, traditional to modern. Their timeless appeal ensures that they remain a stylish addition to your home for years to come.

Mystic Marble Finish


White Marble Finish

- Marble Finish plates made with highly reliable Thermal/Heat transfer film technology
- Plates are supplied with Grid Plates


ENTICE MARBLE FINISH PLATES WITH GRID FRAME **NEW**

Description	Mystic Marble Finish			White Marble Finish	
	Std Pack	Cat No	MRP in ₹	Cat No	MRP in ₹
1 Module Cover Plate	1	CB91101FM07	455	CB91101FW07	455
2 Module Cover Plate	1	CB91102FM07	455	CB91102FW07	455
3 Module Cover Plate	1	CB91103FM07	525	CB91103FW07	525
4 Module Cover Plate	1	CB91104FM07	595	CB91104FW07	595
6 Module Cover Plate	1	CB91106FM07	830	CB91106FW07	830
8 Module Cover Plate Horizontal	1	CB91108FM07	925	CB91108FW07	925
8 Module Cover Plate Square	1	CB91208FM07	925	CB91208FW07	925
12 Module Cover Plate	1	CB91112FM07	1250	CB91112FW07	1250
16 Module Cover Plate	1	CB91116FM07	1850	CB91116FW07	1850
18 Module Cover Plate	1	CB91118FM07	1950	CB91118FW07	1950

GRID FRAMES (FOR VIVID, VIBRANT & WOOD COVER PLATES)



- Grid frames suitable for all colour plates and wooden finish plates.
- Ease for retailers to maintain stocks.



GI METAL MOUNTING BOXES

Description	Std Pack	Cat No	MRP in ₹
GI Metal Box - 1 & 2 Module	60	CB91102WM00	106
GI Metal Box-3 Module	45	CB91103WM00	147
GI Metal Box- 4 Module	30	CB91104WM00	168
GI Metal Box- 6 Module	20	CB91106WM00	237
GI Metal Box- 8 Module Horizontal	15	CB91108WM00	301
GI Metal Box- 8 Module Square	24	CB91208WM00	301
GI Metal Box- 12 Module	16	CB91112WM00	443
GI Metal Box- 16 Module	12	CB91116WM00	510
GI Metal Box- 18 Module	10	CB91118WM00	553

- Suitable for entice, englaze and enGem ranges.
- GI Boxes Conforms to IS14772: 2000



Switch aisa ki
sab kahe
waah
waah



2 AMP USB CHARGING WITH LED INDICATOR

The enGem range allows your customers to fast-charge devices with the power of 2 Amp. That's not all. The range also comes with a Direct USB Charger that has a LED light indicator, The more impressed your customers, the more compliments you'll get.



PREMIUM FLAT DESIGN

Impress your customers with the enGem range of premium flat-design plates. They come with superior plastic quality and wide cover plates that make them durable and easier to install.



HASSLE-FREE PLUGGING

When you choose enGem, your customers can be rest assured about the safety of their children due to it's in-built safety shutter in sockets. More safety is sure to earn you more compliments.



360° ROTATION FOR BREAK-FREE OPERATIONS

When you recommend enGem switches, your customers get to enjoy the comfort of a fan without the hassle of a breakage-prone regulator. The 360° rotation regulator knob is built and designed for break-free operations.



CAPTIVE SCREWS AND FRONT REMOVAL SYSTEM

enGem switches reduce the time taken for every switch installation, thereby helping you finish the job quicker. These switches come with captive screws and front removal switches to make the installation process quicker and easier for you. But faster installations for you also mean lesser wait time for your customers. So, faster you finish the job, the more compliments you are bound to get.



1 LAKH + CLICKS & 10,000 TIMES SOCKET UNPLUGGING

Your customers will only compliment you when the switch you install lasts really long. enGem switches offer more than 1 Lakh clicks, which has also been certified by NABL*. What's more, you can plug sockets in and out over 10,000 times.



COLOUR & BEZEL OPTIONS AVAILABLE

enGem switches are now available in two classic colours, White & Stone Grey. And you get to choose Chrome & Gold bezel options too. enGem brings to you 6 stunning options to match with your home decor.



SWITCHES & BELL PUSH WITH 

Description	Std Pack	White		Stone Grey	
		Cat No	MRP in ₹	Cat No	MRP in ₹
Switch 6AX 1-way 1M	20	CB93101SW06	68	CB93101SS06	83
Switch 6AX 1-way with Indicator 1M	20	CB93301SW06	182	CB93301SS06	228
Switch 6AX 2-way 1M	20	CB93201SW06	174	CB93201SS06	218
Switch 16AX 1-way 1M	20	CB93101SW16	169	CB93101SS16	203
Switch 16AX 1-way with Indicator 1M	20	CB93301SW16	233	CB93301SS16	280
Switch 16AX 2-way 1M	20	CB93201SW16	244	CB93201SS16	305
Switch 20A 1-way 1M	20	CB93101SW20	205	CB93101SS20	256
Switch 20A 1-way with Indicator 1M	20	CB93301SW20	278	CB93301SS20	349
Switch 32A DP with Indicator lamp 2M	10	CB93402SW32	442	CB93402SS32	551
Bell Push 6A 1M	20	CB93101BW06	193	CB93101BS06	242
Bell Push 6A with Indicator 1M	20	CB93301BW06	215	CB93301BS06	269
Bell Push 6A with Indicator 2M	10	CB93302BW06	287	CB93302BS06	358

MOTOR STARTER


Description	Std Pack	White		Stone Grey	
		Cat No	MRP in ₹	Cat No	MRP in ₹
New Motor Starter 25A 2M	10	CB93102MW25	890	CB93102MS25	1095

POWER SOCKET WITH 

Description	Std Pack	White		Stone Grey	
		Cat No	MRP in ₹	Cat No	MRP in ₹
Socket 6A 3 Pin with ISI 2M	10	CB93602CW06	130	CB93602CS06	163
Socket 6A/16A 3 Pin Combi with ISI 2M	10	CB93302CW16	224	CB93302CS16	279



- 1 Lakh switching operation.
- Spark Shield, Captive screws & Tunnel Terminals.
- All Switches and bell pushes are ISI marked and conforms to IS 3854: 1997
- "AX" rating for switches are suitable to fluorescent lights also.



CB93102MW25



CB93602CW06

CB93302CW16

CB93602CS06

- 6A 3 Pin, 6A/16A 3 Pin Combi Sockets conforms to latest IS Standard of IS 1293:2019.
- All sockets are equipped with safety shutters.
- 6A 3 Pin Socket is suitable for 2 Pin Plug top also.
- 6A/16A Sockets tested upto 25A rating also.



CB93101RW01 CB93102RW02 CB93102RS02 CB93101RS01

- 5 step fan regulator conforms to IS 11037: 1984
- All fan regulators are with 360 degree rotation.
- Dimmers only support incandescent and halogen load.



CB93101TW11 CB93101TW00 CB93101AW00 CB93201AW00 CB93102LW00



CB93101AW02 CB93301AW00 CB93101TS11 CB93102LS00 CB93101AS02 CB93401AW00

USB Charger conforms to IS 13252 (Part 1)

FEATURES

- Range available in Single & Double pole
- Ratings – 6A, 10A, 16A, 20A, 25A & 32A with C Curve
- Conforms to IS/IEC 60898 – part 1
- Breaking capacity – 3 kA
- Trip free mechanism
- No Line load biased
- Suitable for use as isolator
- IP20 protection
- RoHS Compliant
- Available in White and Stone Grey Colors



CB93101KW06
CB93101KW10
CB93101KW16
CB93101KW20
CB93101KW25
CB93101KW32

CB93202KW25
CB93202KW32

FAN REGULATORS & DIMMERS

Description	Std Pack	White		Stone Grey	
		Cat No	MRP in ₹	Cat No	MRP in ₹
Dimmer 400 W 1M	10	CB93101DW04	670	CB93101DS04	837
Fan Regulator 4-Step 80W 1M	10	CB93101RW01	471	CB93101RS01	566
Fan Regulator 5-Step 120W with ISI 2M	05	CB93102RW02	609	CB93102RS02	701

DATA SOCKETS & ACCESSORIES

Description	Std Pack	White		Stone Grey	
		Cat No	MRP in ₹	Cat No	MRP in ₹
RJ 11 Socket with Shutter 1M	20	CB93101TW11	186	CB93101TS11	231
RJ 45 Cat 6 Socket with Shutter 1M	20	CB93201TW45	701	CB93201TS45	877
New RJ 45 Cat 6A Socket with Shutter 1M	20	CB93301TW45	715	CB93301TS45	895
TV Socket 1M	20	CB93101TW00	181	CB93101TS00	226
Cable Outlet 1M	20	CB93101AW00	146	CB93101AS00	183
Blank off Unit 1M	20	CB93201AW00	38	CB93201AS00	48
LED Foot Light 2M	5	CB93102LW00	872	CB93102LS00	1090
USB Charger 2A 1M	10	CB93101AW02	1293	CB93101AS02	1552
LED Phase Indicator 1M	20	CB93301AW00	170	CB93301AS00	204
New LED Phase Indicator 1M-Full Glow	20	CB93401AW00	225	Same as White	

MINI MCBs

Description	Std Pack	White		Stone Grey	
		Cat No	MRP in ₹	Cat No	MRP in ₹
6A SP Mini MCB 3ka 1M	10	CB93101KW06	443	CB93101KS06	531
10A SP Mini MCB 3ka 1M	10	CB93101KW10	443	CB93101KS10	531
16A SP Mini MCB 3ka 1M	10	CB93101KW16	443	CB93101KS16	531
20A SP Mini MCB 3ka 1M	10	CB93101KW20	443	CB93101KS20	531
25A SP Mini MCB 3ka 1M	10	CB93101KW25	443	CB93101KS25	531
32A SP Mini MCB 3ka 1M	10	CB93101KW32	443	CB93101KS32	531
25A DP Mini MCB 3ka 2M	5	CB93202KW25	989	CB93202KS25	1187
32A DP Mini MCB 3ka 2M	5	CB93202KW32	989	CB93202KS32	1187

COVER PLATES WITH GRID FRAMES




Description	Std Pack	White		Stone Grey	
		Cat No	MRP in ₹	Cat No	MRP in ₹
1 Module Cover Plate+Grid Frame	15	CB93101FW00	104	CB93101FS01	143
2 Module Cover Plate+Grid Frame	15	CB93102FW00	104	CB93102FS01	143
3 Module Cover Plate+Grid Frame	10	CB93103FW00	135	CB93103FS01	186
4 Module Cover Plate+Grid Frame	10	CB93104FW00	159	CB93104FS01	219
6 Module Cover Plate+Grid Frame	5	CB93106FW00	235	CB93106FS01	323
8 Module Cover Plate+Grid Frame Horizontal	5	CB93108FW00	278	CB93108FS01	382
8 Module Cover Plate+Grid Frame Square	5	CB93208FW00	278	CB93208FS01	382
12 Module Cover Plate+Grid Frame	5	CB93112FW00	376	CB93112FS01	516
16 Module Cover Plate+Grid Frame	4	CB93116FW00	556	CB93116FS01	764
18 Module Cover Plate+Grid Frame	5	CB93118FW00	569	CB93118FS01	782

COVER PLATES WITH GRID FRAMES FOR BEZEL OPTIONS



Description	Std Pack	White with Chrome Bezel		White with Gold Bezel		Stone Grey with Chrome Bezel		Stone Grey with Gold Bezel	
		Cat No	MRP in ₹	Cat No	MRP in ₹	Cat No	MRP in ₹	Cat No	MRP in ₹
1 Module Cover Plate+Grid Frame	10	CB93101FW05	123	CB93101FW06	139	CB93101FS05	177	CB93101FS06	200
2 Module Cover Plate+Grid Frame	10	CB93102FW05	123	CB93102FW06	139	CB93102FS05	177	CB93102FS06	200
3 Module Cover Plate+Grid Frame	10	CB93103FW05	160	CB93103FW06	179	CB93103FS05	231	CB93103FS06	259
4 Module Cover Plate+Grid Frame	10	CB93104FW05	188	CB93104FW06	211	CB93104FS05	272	CB93104FS06	307
6 Module Cover Plate+Grid Frame	4	CB93106FW05	277	CB93106FW06	312	CB93106FS05	402	CB93106FS06	453
8 Module Cover Plate+Grid Frame Horizontal	4	CB93108FW05	341	CB93108FW06	382	CB93108FS05	496	CB93108FS06	554
8 Module Cover Plate+Grid Frame Square	4	CB93208FW05	341	CB93208FW06	382	CB93208FS05	496	CB93208FS06	554
12 Module Cover Plate+Grid Frame	4	CB93112FW05	479	CB93112FW06	516	CB93112FS05	670	CB93112FS06	722
16 Module Cover Plate+Grid Frame	4	CB93116FW05	710	CB93116FW06	764	CB93116FS05	994	CB93116FS06	1070
18 Module Cover Plate+Grid Frame	4	CB93118FW05	726	CB93118FW06	782	CB93118FS05	1015	CB93118FS06	1094



GI METAL MOUNTING BOXES

Description	Std Pack	Cat No	MRP in ₹
GI Metal Box - 1 & 2 Module	10	CB93102WM00	79
GI Metal Box-3 Module	10	CB93103WM00	117
GI Metal Box- 4 Module	10	CB93104WM00	142
GI Metal Box- 6 Module	10	CB93106WM00	204
GI Metal Box- 8 Module Horizontal	5	CB93108WM00	261
GI Metal Box- 8 Module Square	5	CB93208WM00	261
GI Metal Box- 12 Module	5	CB93112WM00	348
GI Metal Box- 16 Module	5	CB93116WM00	426
GI Metal Box- 18 Module	5	CB93118WM00	484

- GI Metal Boxes Suitable for englaze, entice and enGem ranges
- GI Metal Boxes Conforms to IS 14772:2000.
- New Standard retail packing as per above mentioned quantity, will be available soon with new packaging.

SURFACE MOUNTING BOXES

Suitable for entice, englaze and enGem range of plates



MOUNTING BOXES - PLASTIC SURFACE

Description	Std Pack	Cat No	MRP in ₹
Surface Mounting Box - 1/2M	12	CB91102WP00	95
Surface Mounting Box - 3M	10	CB91103WP00	125
Surface Mounting Box - 4M	12	CB91104WP00	149
Surface Mounting Box - 6M	5	CB91106WP00	195
Surface Mounting Box - 8M Horizontal	5	CB91108WP00	245
Surface Mounting Box - 8M Square	7	CB91208WP00	245
Surface Mounting Box - 12M	5	CB91112WP00	325
Surface Mounting Box - 16M	5	CB91116WP00	345
Surface Mounting Box - 18M	5	CB91118WP00	375

enConnect

Smart Home Solutions:

- Modular switches with wifi connectivity
- Lighting, Fan, Appliance & Curtain controls
- Operates through Touch, Mobile app and Voice command
- Retrofit Solution-No need to change wiring/mounting boxes
- Complete security-as per new Data and Cyber Security guidelines

Upcoming Launch



englaze Sparkle Black range



SWITCHES & BELL PUSH WITH



OS15W10 OS15W16 OS16W10 OS16W16 OS11W10 OS11W16 OS12W10 OS12W16 OS13W10 OS13W16



OS24W20 OS24W32



OS31W25



OC36W06



OC32W66

Description	Std Pack	Cat No	MRP in ₹
Switch 10AX 1-way 1M	20	OS11W10	186
Switch 10AX 2-way 1M	20	OS12W10	302
Switch 10AX 1-way with Indicator 1M	20	OS13W10	302
Switch 16AX 1-way 1M	20	OS11W16	351
Switch 16AX 2-way 1M	20	OS12W16	416
Switch 16AX 1-way with Indicator 1M	20	OS13W16	391
Switch 10AX 1-way 1M - W Plain Knob	20	OS15W10	180
Switch 10AX 2-way 1M - W Plain Knob	20	OS16W10	290
Switch 16AX 1-way 1M - W Plain Knob	20	OS15W16	334
Switch 16AX 2-way 1M - W Plain Knob	20	OS16W16	402
Switch 20A DP with Indicator 2M	10	OS24W20	675
Switch 32A DP with Indicator 2M	10	OS24W32	810
Switch Night Locator 10A 1M	20	OS14W10	328
Bell Push 6A 1M	20	OB11W06	324
Bell Push 6A with Indicator 1M	20	OB13W06	362
Bell Push 10A with Indicator 2M	10	OB23W10	443
Bell Push 6A 1M - W Plain Knob	20	OB15W06	312

MOTOR STARTER

Description	Std Pack	Cat No	MRP in ₹
Motor Starter 1 PH 25A 3M	8	OS31W25	1590

• Marked Cat Nos are available till stocks last.

POWER SOCKET WITH

Description	Std Pack	Cat No	MRP in ₹
Socket 6A 3 Pin with ISI 2M	10	OC36W06	262
Socket 6A/16A 3 Pin Combi with ISI 2M	10	OC32W66	516

FAN REGULATOR & DIMMER

Description	Std Pack	Cat No	MRP in ₹
Dimmer 400 W 1M	5	OD21W04	1099
Fan Regulator 5-Step 120W with ISI 2M	5	OR22W01	1145



OD21W04



OR22W01

- 5 step fan regulator conforms to IS 11037: 1984
- Fan regulator are with 360 degree rotation.
- Dimmers only support incandescent and halogen load.

DATA SOCKETS

Description	Std Pack	Cat No	MRP in ₹
RJ 11 Socket with Shutter 1M	20	OT11W11	305
RJ 45 Cat 6 Socket with Shutter 1M	20	OT11W45	967
TV Socket 1M	20	OT11W00	273



OT11W11



OT11W45



OT11W00

ACCESSORIES

Description	Std Pack	Cat No	MRP in ₹
LED Foot Light 6M (GST@12%)	5	OL61W06	1289
Indicator Light 1M	20	OA11W00	250
Blank Off Unit 1M	20	OA10W00	51



OL61W06




OA11W00




OA10W00

COVER PLATES WITH GRID FRAMES



Description	Std Pack	Cat No	MRP in ₹
Grid and Face Plate 1M	15	OF11W00	207
Grid and Face Plate 2M	15	OF21W00	207
Grid and Face Plate 3M	10	OF31W00	254
Grid and Face Plate 3M Mini	10	OF32W00	232
Grid and Face Plate 4M	10	OF41W00	261
Grid and Face Plate 6M	10	OF61W00	345
Grid and Face Plate 8M	10	OF81W00	413
Grid and Face Plate 10M 433	5	OF10W03	489
Grid and Face Plate 10M 433 Suitable for entice 8M Box	5	OF10W04	498
Grid and Face Plate 12M	5	OF12W00	584
Grid and Face Plate 16M	5	OF16W00	643
Grid and Face Plate 24M	5	OF24W00	843

MOUNTING BOXES - PLASTIC SURFACE BOXES



Description	Std Pack	Cat No	MRP in ₹
Surface Wall Box 1/2M	20	OW21W00	188
Surface Wall Box 3/4M	12	OW41W00	220
Surface Wall Box 6M	10	OW61W00	263
Surface Wall Box 8M	14	OW81W00	275
Surface Wall Box 10M	10	OW10W00	331
Surface Wall Box 12M	10	OW12W00	361
Surface Wall Box 16M	8	OW16W00	528


STANDALONE RANGE



CB93100PW06
CB93100PW16



CB93300PW06
CB93300PW16



CB93400LW02




CB93400LW03



CB93400LW04

With USB Charger



OA05W06



OA04W13



CB93400AB06
CB93300AB06



DIGITAL DING-DONG
7 Ding Dong Tunes
OB31W00



MANTRAS
10 Mantra Tunes
OB32W00



ENGLISH MELODY
25 English Tunes
OB33W00

PLUG TOP WITH ISI

Description	Std Pack	Cat No	MRP in ₹
Plug Top 6A 3 Pin with ISI	10	CB93100PW06	99
Plug Top 6A 3 Pin with indicator with ISI	10	CB93300PW06	120
Plug Top 16A 3 Pin with ISI	10	CB93100PW16	152
Plug Top 16A 3 Pin with indicator with ISI	10	CB93300PW16	169

LAMP HOLDER

Description	Std Pack	Cat No	MRP in ₹
Jumbo Lamp Holder 2 in 1 Type	24	CB93400LW01	116
Lamp Holder Angular Type	30	CB93400LW02	44
Lamp Holder Batten Type	40	CB93400LW03	42
Jumbo Ceiling Rose	40	CB93400LW04	70

SPIKE GUARDS

Description	Std Pack	Cat No	MRP in ₹
Spike Guard 4-way with Resettable Fuse	1	OA04W13	984
Spike Guard 3-way with Twin USB Charger and Resettable Fuse	1	OA05W06	1684
Spike Guard 4 Way - 1.5 Mtr	1	CB93300AB06	744
Spike Guard 4 Way - 5 Mtr	1	CB93400AB06	1155

DOOR BELLS

Description	Std Pack	Cat No	MRP in ₹
Digital Ding Dong Door Bell	1	OB31W00	416
Digital Mantra Door Bell	1	OB32W00	477
Digital English Door Bell	1	OB33W00	507



WARRANTY POLICY

- **All products** carry warranty against manufacturing defects due to fault workmanship.
- **All switches**, sockets and accessories carry a warranty of 12 years from the date of manufacturing.
- **Products** with electronic circuits and LED i.e. electronic fan regulators, dimmers, foot light, buzzers, hotel range, USB chargers, bell indicators, sensors, touch switches etc., carry a warranty of 2 years from the date of manufacturing.
- **All colour products** and material plates carry a warranty of 3 years from the date of manufacturing.
- **Warranty** does not apply to case of breakage/tampering with products.
- **The warranty** is subject to the provision of proper usage and proper maintenance and does not cover defects arising out of fire, accident, insufficient maintenance, faulty operations and wilful or accidental damage.
- **Company** shall not be liable for any consequential losses, injuries or damages attributes to defect or failure of it's products.
- **Trippler, Tripbox and Tripbox PLUS range**
all products listed in the price list carry a warranty against manufacturing deffects for a period of 18* months from the date of purchase.
- Extended Warranty of 5 years on **Lauritz Knudsen E&A MCBs** and Isolators if mounted inside **Lauritz Knudsen E&A Distribution Boards**.
- **Note:** We are committed to maintaining our product warranty in line with our standard terms for both the Lauritz Knudsen brand and the L&T Switchgear brand. The change in brand will not alter our standard warranty terms or any applicable extended warranty terms. Furthermore, we will ensure that spares and after-sales support remain available throughout the entire product life cycle, regardless of whether the products are under the L&T Switchgear brand or the Lauritz Knudsen Brand

*Proof of purchase to be retained to avail warranty.

Electrical Standard Products (ESP) Offices:

HEAD OFFICE

Lauritz Knudsen Electrical & Automation, Electrical Standard Product, A/600, Shil-Mahape Road, TTC Industrial Area, MIDC, NaMumbai, 400 710, Maharashtra
Tel: 022 6722 6300 | Fax: 022-67051112 | e-mail: CIC@LK-EA.com

BRANCH OFFICES

Lauritz Knudsen Electrical & Automation
C-201, The First Commercial Complex,
B/S Keshavbaug Party Plot, Vastrapur,
Ahmedabad - 380015
Phone No: 022 6932 7800
e-mail: CIC@LK-EA.com

Lauritz Knudsen Electrical & Automation
Ground Floor, B-27, Biplab Rashbihari Sarani,
Sector 2A, Bidhan Nagar,
Durgapur - 713212
Phone No: 022 6932 7800
e-mail: CIC@LK-EA.com

Lauritz Knudsen Electrical & Automation
Business Communication Centre
2nd Floor, Chiramel Chambers,
Kurispally Road, Ravipuram,
Kochi - 682 015
Phone No: 022 6932 7800
e-mail: CIC@LK-EA.com

Lauritz Knudsen Electrical & Automation
A-25, 1st Floor, Imperia Complex,
Mohan Corporate Industrial Estate,
Near Sarita Vihar Metro Station,
Mathura Road, **New Delhi - 110044**
Phone no: 022 6932 7800
e-mail: CIC@LK-EA.com

Lauritz Knudsen Electrical & Automation
Wework Central, #36 Infantry Road,
Bengaluru - 560 001
Phone No: 022 6932 7800
e-mail: CIC@LK-EA.com

Lauritz Knudsen Electrical & Automation
6th Floor, Exotica Greens, A Block, 191,
R G Baruah Road, Guwahati Central,
Guwahati - 781005
Phone No: 022 6932 7800
e-mail: CIC@LK-EA.com

Lauritz Knudsen Electrical & Automation
2nd Floor, BN3, Salt Lake, Sector-V,
Kolkata - 700091
Phone No: 022 6932 7800
e-mail: CIC@LK-EA.com

Lauritz Knudsen Electrical & Automation
A06/A07, Second Floor,
Grand Chandra Complex, Frazer Road
Patna - 800001
Phone No: 022 6932 7800
e-mail: CIC@LK-EA.com

Lauritz Knudsen Electrical & Automation
A06/A07, Second Floor,
Grand Chandra Complex, Frazer Road
Patna - 800001
Phone No: 022 6932 7800
e-mail: CIC@LK-EA.com

Lauritz Knudsen Electrical & Automation
Under O Launchpad, 4th Floor,
Unit-434, Esplanade 1, Rasulgarh,
Bhubaneswar - 751010
Phone No: 022 6932 7800
e-mail: CIC@LK-EA.com

Lauritz Knudsen Electrical & Automation
Shri Daneshwari, 1st Floor,
Plot No. 17, 2nd Cross, Near Old Income
Tax Office Road, Vidyanagar,
Hubballi - 580021
Phone No: 022 6932 7800
e-mail: CIC@LK-EA.com

Lauritz Knudsen Electrical & Automation
No.10, Fortuna Towers, 2nd Floor,
Rana Pratap Marg, Near NBRI
Lucknow - 226001
Phone No: 022 6932 7800
e-mail: CIC@LK-EA.com

Lauritz Knudsen Electrical & Automation
UrbanWrk, 5th Floor, Sai Radhe,
Raja Bahadur Mill Road, Behind Hotel
Grand Sheraton, Sangamwadi
Pune - 411001
Phone No: 022 6932 7800
e-mail: CIC@LK-EA.com

Lauritz Knudsen Electrical & Automation
4th Floor, SCO-54, 55, 56, Sector-17A
Chandigarh - 160017
Phone No: 022 6932 7800
e-mail: CIC@LK-EA.com

Lauritz Knudsen Electrical & Automation
AWFIS Space Solutions, Prestige Phoenix,
4th floor, 1405, Umanagar, Begumpet,
Hyderabad - 500016
Phone No: 022 6932 7800
e-mail: CIC@LK-EA.com

Lauritz Knudsen Electrical & Automation
El Dorado Building, 3rd Floor, 6,
Venkatraman Street, Chinna Chokkikulam
Madurai - 625 002
Phone No: 022 6932 7800
e-mail: CIC@LK-EA.com

Lauritz Knudsen Electrical & Automation
Office No. 211 & 212, Pithalia Plaza,
KK Road, Near Fafadih Chowk,
Raipur - 492001, Chhattisgarh,
Phone No: 022 6932 7800
e-mail: CIC@LK-EA.com

Lauritz Knudsen Electrical & Automation,
801 Word Level-8, No. 28,
SIDCO Industrial Estate, Guindy,
Chennai - 600032, Tamil Nadu,
Phone No: 022 6932 7800
e-mail: CIC@LK-EA.com

Lauritz Knudsen Electrical & Automation
Workie, 214 - 2nd Floor,
Apollo Premier, PU-4, Scheme No. 54,
Vijay Nagar Square, **Indore - 452010**
Phone No: 022 6932 7800
e-mail: CIC@LK-EA.com

Lauritz Knudsen Electrical & Automation
TC II, Tower B, PRIMA BAY Gate No. 5,
Saki Vihar Road Powai,
Mumbai - 400072
Phone No: 022 6932 7800
e-mail: CIC@LK-EA.com

Lauritz Knudsen Electrical & Automation
10th Floor, Titaanium Business,
Bhimrad Road, Althan
Surat - 395017
Phone No: 022 6932 7800
e-mail: CIC@LK-EA.com

Lauritz Knudsen Electrical & Automation
Playworkz Coworking Space
43 & 44, 3rd Cross, Bharathy Colony,
Peelamedu, **Coimbatore - 641004**
Phone No: 022 6932 7800
e-mail: CIC@LK-EA.com

Lauritz Knudsen Electrical & Automation
Office No. 430, 4th Floor,
Jaipur Electronic Market, Riddhi Siddhi,
Gopalpura Bypass, **Jaipur - 302018**
Phone No: 022 6932 7800
e-mail: CIC@LK-EA.com

Lauritz Knudsen Electrical & Automation
Unnati Building, 2nd Floor, Automation Campus,
A-600, TTC Industrial Area Shil-Mahape Road,
Mahape, **Navi Mumbai - 400710**
Phone No: 022 6932 7800
e-mail: CIC@LK-EA.com

Lauritz Knudsen Electrical & Automation
11th Floor, Block-D, Notus IT Park,
Sarabhai Campus, Bhailal Amin Marg,
Vadodara - 390023
Phone No: 022 6932 7800
e-mail: CIC@LK-EA.com

Lauritz Knudsen Electrical & Automation
3rd Floor, 1&2 Vijay Park,
Main Chakrata Road, Opp. Anandam,
Near Ballapur chowk, **Dehradun - 248001**
Phone No: 022 6932 7800
e-mail: CIC@LK-EA.com

Lauritz Knudsen Electrical & Automation
GDR Siddha, Ground Floor, N Road
Bistupur, Opposite St. Mary's Church,
Jamshedpur - 831001
Phone No: 022 6932 7800
e-mail: CIC@LK-EA.com

Lauritz Knudsen Electrical & Automation
M1 & M2, Mezzanine Floor,
Himalaya Excellency, Plot No. C-47,
Pratap Nagar Square, **Nagpur - 440022**
Phone No: 022 6932 7800
e-mail: CIC@LK-EA.com

Lauritz Knudsen Electrical & Automation
Naga Chambers, 3rd Floor, D/No. 12-1-16,
Plot No. 49, Survey No. 1051, Waltair Main Road,
Visakhapatnam - 530002, Andhra Pradesh,
Phone No: 022 6932 7800
e-mail: CIC@LK-EA.com

Product improvement is a continuous process. For the latest information and special application, please contact any of our offices listed here.
Product photographs shown for representative purpose only.

Lauritz Knudsen Electrical & Automation, Electrical Standard Product, A/600, Shil-Mahape Road, TTC Industrial Area, MIDC, NaMumbai, 400 710, Maharashtra,
Tel: 022 6722 6300 | Web: www.LK-EA.com

Customer Interaction Center (CIC)
Phone no: 022 6932 7800
Web: www.LK-EA.com | e-mail: CIC@LK-EA.com

Reach Us On:



e-commerce
website



facebook



Instagram



LinkedIn



Website



Electrical & Automation